

Contents

BROOKMORE Undermount Collection	10 12
Topmount / Drop In Collection	20
ADA Collection	
ADA Collection	28
STEEL QUEEN	30
Undermount Collection	32
Topmount / Drop In Collection	42
Utility Collection	52
	62
Topmount / Drop In Collection	64
REGINOX	70
Undermount Collection	72
Topmount / Drop In Collection	78
ADA Collection	82
URBAN GRANITE	86
Undermount Collection	88
Topmount / Drop In Collection	92
	52
WASTE DISPOSERS	96
SINK ACCESSORIES	100



What's New

Brookmore ADA Collection

Brookmore ADA sinks deliver functional design that meets unique needs without sacrificing quality or style. Made to work with easy-to-clean corners, resilient finish, and sound dampening system, these versatile dual mount sinks can be installed as either an undermount or topmount in the countertop.

See Page 28 for more details.

Bridge Cutting Board

This unique universal cutting board is made of lightweight and sustainable bamboo. The board provides an extended work area above or beside your sink. Fits over any sink opening 19" or less.

See Page 100 for our collection of sink accessories.







The Kindred Crown

A symbol of engineering excellence. The Kindred Crown reflects our passion for making your kitchen the happiest room in your home.

Our crown signifies our commitment for creating exceptional sinks that offer the reliability and durability your kitchen needs. So go ahead, host your most memorable Sunday brunches, bake your sweetest desserts, celebrate your family's greatest milestones, and tackle all the deliciously messy moments in between with confidence and ease.

It's the mark of excellence in sinks and the emblem of ease in the kitchen. Backed by a long history of making life's messy moments easier while integrating innovative design and artistry. The Kindred Crown epitomizes sinks made for real life in your home.

Give your kitchen the Kindred Crown it deserves.



Made to work

At Kindred, we put the Crowning touch on sinks that are made for real life. With a wide range of styles and sizes, Kindred offers versatile, reliable products built for hard work and made to last.

From stainless steel to natural granite, undermount models to classic drop ins, Kindred sinks suit any interior style.

Choose from our broad assortment of bowl configurations to integrate into any space in the house — kitchen, laundry, mud room, bar, or anywhere else you require a quality sink.

Whether you're outfitting a farmhouse retreat or completing a contemporary chef's kitchen, our thoughtful designs and durable engineering ensure our products are **made to work**.

6







Made to last

The kitchen is the heart of the home — and the sink is the heart of the kitchen.

Kindred has spent decades fine-tuning our tried and true sink designs to ensure our heartbeat only gets stronger with each passing year. You'll fall hard for their beauty and reliability, which will continue to shine thanks to our durable finishes.

Other features to make your relationship with Kindred ideal: our easy-to-clean stainless steel, our sound absorbing systems, and our drain systems — all guaranteed to maximize long-term enjoyment.

It's clear that Kindred sinks are made to last.





Made for ease

Eliminate complicated, frustrating, and time-consuming traditional sink installation with Kindred's EZ Torque™ installation system, available on select Kindred sink models.

Our revolutionary installation system allows you to drop and drill your sink into place, securely locking the sink to the countertop. Easier installation means enjoying your kitchen sooner.

EZ TORQUE MEANS HASSLE-FREE INSTALLATION



DROP SINK INTO

THE COUNTERTOP.



TIGHTEN FASTENERS TO SECURE IN PLACE.








satin finish ensures a tasteful and clean aesthetic to match perfectly with any kitchen interior. Find the perfect solution for any kitchen from our wide range of models.

Brookmore





BROOKMORE **Undermount Sinks**

CONTEMPORARY DURABLE SINKS

Create something truly unique that fits both prepping and cleaning needs by using multiple sinks from the Brookmore collection.

Our sinks are made with high quality 18-gauge stainless steel with a rich chromium content that helps shield the material from corrosion and prevents bacterial growth. The streamlined look with a striking satin finish will stand up to heavy use and retain its beauty for years.



SPACIOUS 9" DEEP BOWL High capacity sink perfect for soaking and washing stacks of dishes.



The placement of the drain has been designed to maximize bowl space.




0

HIGH QUALITY STAINLESS 18 gauge high quality stainless steel with exceptional resistance to staining and corrosion.

BSU1832-9 122.0637.645



Single Bowl Dimensions: 16 1/2" FB x 30 7/8" LR x 9" DP Minimum Cabinet Size: 33" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Undermount Shipping Weight: 22.2 lbs



ACCESSORIES

1 Strainer Basket 2 Bottom Grid 1135 BG531S Included	7 Bamboo Cutting Board MB517	8 Roller Mat RM55S	9 Colander C417P
--	------------------------------------	-----------------------	---------------------

7 Bamboo

MR517

7 Bamboo

MB517

Cutting Board

Cutting Board

BSU1832-90W 122.0637.646



Outside Sink Rim Dimensions: 18 1/8" FB x 32 1/2" LR Single Bowl Dimensions: 16 1/2" FB x 30 7/8" LR x 9" DP Minimum Cabinet Size: 33" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Offset Sound Dampening: Sound Pads Installation: Undermount Shipping Weight: 24.8 lbs

8 Roller Mat

RM55S

9 Colander

C417P

9 Colander

C417P



ACCESSORIES

1 Strainer Basket	3 Bottom Grid
1135	BG5310S
Included	

BSU1831-9

122.0637.643




BG529S

Outside Sink Rim Dimensions: 18 1/8" FB x 30 1/2" LR Single Bowl Dimensions: 16 1/2" FB x 28 15/16" LR x 9" DP Minimum Cabinet Size: 33" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Undermount Shipping Weight: 23 lbs

8 Roller Mat

RM55S



BSU1825-9 122.0637.641



Outside Sink Rim Dimensions: 18 1/8" FB x 24 5/8" LR Single Bowl Dimensions: 16 1/2" FB x 23" LR x 9" DP Minimum Cabinet Size: 27" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Undermount Shipping Weight: 18.3 lbs

O 9" (23cm) deen/ mof _____ 23" (58.5cm)

Brookmore Undermount

ACCESSORIES

1 Strainer Basket 5 Bottom Grid 1135 BG523S Included

8 Roller Mat 9 Colander 7 Bamboo Cutting Board RM55S C417P MR517

8 Roller Mat

RM55S

112.0624.298

BSU1820-9


122.0637.639



Outside Sink Rim Dimensions: 18 1/8" FB x 19 1/2" LR Single Bowl Dimensions: 16 1/2" FB x 17 15/16" LR x 9" DP Minimum Cabinet Size: 21" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Undermount Shipping Weight: 15.8 lbs

9 Colander

C417P



ACCESSORIES

1 Strainer Basket 6 Bottom Grid 1135 Included





BG518S

OPTIONAL ACCESSORIES

2 Bottom Grid

112.0624.284

BG531S

BG518S

\$200.00

7 Bamboo

MB517

Cutting Board







1 Strainer Basket 1135 112.0040.566







KINDRED-SINKWARE.COM 15

14 KINDRED-SINKWARE.COM

1 Strainer Basket 4 Bottom Grid

ACCESSORIES

1135


Included

BSU1816-9 122.0637.637





Outside Sink Rim Dimensions: 18 1/8" FB x 15 9/16" LR Single Bowl Dimensions: 16 1/2" FB x 13 15/16" LR x 9" DP Minimum Cabinet Size: 18" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Undermount Shipping Weight: 14 lbs



ACCESSORIES

Included MB517	1 Strainer Basket 1135 Included	2 Bottom Grid BG514S	6 Bamboo Cutting Board MB517	7 Roller Mat RM55S	8 Colander C417P	
----------------	---------------------------------------	-------------------------	------------------------------------	-----------------------	---------------------	--


BSU1812-8 122.0637.635



Outside Sink Rim Dimensions: 18 1/8" FB x 11 9/16" LR Single Bowl Dimensions: 16 1/2" FB x 10" LR x 7 7/8" DP Minimum Cabinet Size: 15" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Undermount Shipping Weight: 11.5 lbs

8 Colander

C417P



ACCESSORIES

1 Strainer Basket	3 Bottom Grid	6 Bamboo
1135	BG510S	Cutting Board
Included		MB517

BCU1836R-9 122.0637.632



1 Strainer Basket 3 Bottom Grid

BG510S

Outside Sink Rim Dimensions: 18 1/8" FB x 35 9/16" LR Large Bowl Dimensions: 16 1/2" FB x 23" LR x 9" DP Small Bowl Dimensions: 16 1/2" FB x 10" LR x 7 7/8" DP Minimum Cabinet Size: 36" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear

7 Roller Mat

RM55S

8 Colander

C417P

Sound Dampening: Sound Pads

Installation: Undermount Shipping Weight: 27.2 lbs


6 Bamboo

MB517

Cutting Board

4 Bottom Grid

BG523S



BCU1835R-9 122.0637.630



Outside Sink Rim Dimensions: 18 1/8" FB x 34 1/2" LR Large Bowl Dimensions: 16 1/2" FB x 17 15/16" LR x 9" DP Small Bowl Dimensions: 16 1/2" FB x 13 15/16" LR x 9" DP Minimum Cabinet Size: 36" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Undermount Shipping Weight: 26.7 lbs

7 Roller Mat

RM55S

8 Colander

C417P

8 Colander

C417P

ACCESSORIES

1 Strainer Basket 2 Bottom Grid 5 Bottom Grid 1135 BG514S BG518S 2 Included

BCU1831R-9

122.0637.628




Outside Sink Rim Dimensions: 18 1/8" FB x 30 1/2" LR Large Bowl Dimensions: 16 1/2" FB x 17 15/16" LR x 9" DP Small Bowl Dimensions: 16 1/2" FB x 10" LR x 7 7/8" DP Minimum Cabinet Size: 33" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Undermount Shipping Weight: 23.4 lbs

6 Bamboo

MB517

Cutting Board



O

9" (23cm) deep/prof

ACCESSORIES

1 Strainer Basket 3 Bottom Grid 5 Bottom Grid 1135 BG510S BG518S 2 Included

INCLUDED ACCESSORIES

1 Strainer Basket

1135 112.0040.566









7 Roller Mat

RM55S

2 Bottom Grid BG514S 112.0624.290

3 Bottom Grid 4 Bottom Grid 5 Bottom Grid BG523S BG518S 112.0624.287 112.0624.292 112.0624.286



BG510S

6 Bamboo

MR517

Cutting Board

 \bigcirc Brookmore Undermount 9" (23cm) deep/prof 17 15/16" (45.6cm) 13 15/16"(35.5cm) 34 1/2" (87.6cm)

KINDRED-SINKWARE.COM 17


2 Included 16 KINDRED-SINKWARE.COM

ACCESSORIES

BCU1827R-9 122.0637.626



Outside Sink Rim Dimensions: 18 1/8" FB x 26 9/16" LR Large Bowl Dimensions: 16 1/2" FB x 13 15/16" LR x 9" DP Small Bowl Dimensions: 16 1/2" FB x 10" LR x 7 7/8" DP Minimum Cabinet Size: 27" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Undermount Shipping Weight: 22.2 lbs




ACCESSORIES

1135 BG514S BG510S			Colander C417P
--------------------	--	--	-------------------

BDU1831-9 122.0637.633



Outside Sink Rim Dimensions: 18 1/8" FB x 30 1/2" LR Equal Size Bowl Dimensions: 16 1/2" FB x 13 15/16" LR x 9" DP Minimum Cabinet Size: 33" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Undermount Shipping Weight: 24.8 lbs



ACCESSORIES


1 Strainer Basket	2 Bottom Grid	4 Bambo
1135	BG514S	Cutting
2 Included		MB517

5 Roller Mat 6 Colander Board RM55S C417P

BTU1841-9 122.0637.647



Outside Sink Rim Dimensions: 18 1/8" FB x 41 1/2" LR Equal Bowl Dimensions: 16 1/2" FB x 13 15/16" LR x 9" DP Small Bowl Dimensions: 16 1/2" FB x 10" LR x 7 7/8" DP Minimum Cabinet Size: 42"





1135 112.0040.566

3 Bottom Grid 4 Bamboo Cutting Board MB517 BG510S 112.0624.292 112.0624.298



2 Bottom Grid

BG514S 112.0624.290

kindred-sinkware.com 19



Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Undermount Shipping Weight: 33 lbs

ACCESSORIES

1 Strainer Basket 1135 3 Included	BG514S	3 Bottom Grid BG510S	4 Bamboo Cutting Board MB517	5 Roller Mat RM55S	6 Colander C417P
---	--------	-------------------------	------------------------------------	-----------------------	---------------------

18 KINDRED-SINKWARE.COM







BROOKMORE

Topmount / Drop In Sinks

REFINE, ENHANCE, UPGRADE

It's easy to change the look of any kitchen and create something that feels completely new without remodeling the entire space.

Our revolutionary EZ Torque™ installation system is a simplified fastener process that allows you to install the sink in just a few simple steps. Easier installation means enjoying your kitchen sooner.

SPACIOUS 9" DEEP BOWL

High capacity sink perfect for soaking and washing stacks of dishes.

EZ TORQUE INSTALLATION

J

đ

Ò

Simplified fastener system and drop-and-drill process make this one of the industry's quickest sinks to install.

REAR & OFFSET DRAINS

The placement of the drain has been designed to maximize bowl space.



Single Bowl Dimensions: 16 1/2" FB x 23" LR x 9" DP Minimum Cabinet Size: 27" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Topmount / Drop In Shipping Weight: 19.2 lbs

8 Colander

C417P

Outside Sink Rim Dimensions: 22" FB x 25" LR

0 0 0 0 0 9" (23cm) deep/prof - 23" (58.5cm) -25" (63.5cm



Minimum Cabinet Size: 27" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Topmount / Drop In

7 Roller Mat

RM55S

7 Roller Mat

RM55S

Cutting Board

Cutting Board

MB517

MR517

Outside Sink Rim Dimensions: 20 7/8" FB x 25" LR Single Bowl Dimensions: 16 1/2" FB x 23" LR x 9" DP Shipping Weight: 18.8 lbs

8 Colander

C417P

4 Bottom Grid

112.0624.283

BG529S

5 Bottom Grid

112.0624.286

BG523S

0 0 0 0 O 9*(23cm) deep/prof 23" (58.5cm) - 25" (63.5cm)

EZ

		_
6 Bamboo	7 Roller Mat	8 Colander
Cutting Board	RM55S	C417P
MB517 112.0624.298	112.0058.824	112.0538.950
112.0024.296		


3 Bottom Grid

112 0624 285

BG5310S

Brookmore pmount / Drop

Brookmore Topmount / Drop In



Outside Sink Rim Dimensions: 20 7/8" FB x 26 15/16" LR Large Bowl Dimensions: 16 1/2" FB x 13 15/16" LR x 9" DP Small Bowl Dimensions: 16 1/2" FB x 10" LR x 7 7/8" DP Minimum Cabinet Size: 30" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Topmount / Drop In Shipping Weight: 22.2 lbs

7 Roller Mat

RM55S

8 Colander

C417P

- 13 15/16" (35.5cm) - 10" (25.4cm) -26 15/16" (68.4cm

0

EZ

O

9" (23cm) deep/pro

0 0 Brookmore mount / Drop O 7/8"(20cm deep/prof

Minimum Cabinet Size: 36" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Topmount / Drop In Shipping Weight: 27 lbs

7 Roller Mat

RM55S

3 Bottom Grid

112.0624.290

BG514S

7 Roller Mat

112.0058.824

RM55S

Cutting Board

MB517

6 Bamboo

MB517

Cutting Board

BG510S

Outside Sink Rim Dimensions: 22" FB x 32 7/8" LR Equal Size Bowl Dimensions: 16 1/2" FB x 14 15/16" LR x 9" DP

8 Colander

C417P

4 Bottom Grid

112.0624.292

BG510S

8 Colander

C417P

112.0538.950

5 Bottom Grid

112.0624.288

BG515S

0000 \bigcirc \bigcirc 9"(23cm) deep/prof 9" (23cm) deep/prof 14 15/16"(38.0cm) 14 15/16"(38.0cm)

EZ


KINDRED-SINKWARE.COM 25

24

Brookmore Topmount / Drop In



Outside Sink Rim Dimensions: 20 7/8" FB x 30 7/8" LR Equal Size Bowl Dimensions: 16 1/2" FB x 13 15/16" LR x 9" DP Minimum Cabinet Size: 33" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Sound Damenion: Sound Park Sound Dampening: Sound Pads Installation: Topmount / Drop In Shipping Weight: 24.2 lbs



ACCESSORIES

Brookmore Topmount / Drop In

1 Strainer Basket 2 Bottom G 1135 BG514S 2 Included	irid 3 Bamboo Cutting Board MB517	4 Roller Mat RM55S	5 Colander C417P	





OPTIONAL ACCESSORIES












4 Roller Mat RM55S 112.0058.824



5 Colander C417P 112.0538.950







BROOKMORE **ADA Sinks**

FUNCTIONAL DESIGN

Brookmore ADA sinks allow everyone to have a sleek, minimal radius sink for their modern or transitional kitchen. These sinks are made from top quality 18-gauge stainless steel and can handle every kitchen chore with ease.

ACCESSIBLE DESIGN

Shallow bowl depth and rear drain placement allows for sufficient knee space when sink is used in seated position.

EZ TORQUE INSTALLATION

 \mathbf{w} Simplified fastener system and drop-and-drill process make this one of the industry's đ quickest sinks to install.

REAR DRAINS

0

The placement of the drain has been designed to maximize bowl space.

NEW				
RCI	2	2	2	

BSL2225-ADA-1 (1 faucet hole) 101.0689.852



Outside Sink Rim Dimensions: 22" FB x 25" LR Single Bowl Dimensions: 16 1/2" FB x 23" LR x 5 3/8" DP Minimum Cabinet Size: 27" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Dual Mount Shipping Weight: 19.2 lbs

6 Colander

C417P

0 0 22" (55.9 cm) 16 ½" (42 cm) 5 3/8" (13.7 cm) deep/prof 23" (58.5 cm) 25" (63.5 cm)

AD¢

ACCESSORIES

5 Roller Mat 1 Strainer Basket 3 Bottom Grid 4 Bamboo 1135 BG523S Cutting Board RM55S Included MB517


NEW BSL2233-ADA-1 (1 faucet hole) 101.0689.855



Outside Sink Rim Dimensions: 22" FB x 32 7/8" LR Single Bowl Dimensions: 16 1/2" FB x 30 7/8" LR x 5 3/8" DP Minimum Cabinet Size: 36" Gauge: 18 Corner Radius: 20mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Dual Mount Shipping Weight: 23 lbs

6 Colander

C417P



E Z S

EZ &

ACCESSORIES

1 Strainer Basket 2 Bottom Grid 1135 BG531S Included



1 Strainer Basket

1135 112.0040.566





2 Bottom Grid

112.0624.284

BG531S



4 Bamboo

MB517

Cutting Board





4 Bamboo

MB517 112.0624.298

5 Roller Mat

RM55S

3 Bottom Grid

112.0624.286

BG523S



6 Colander C417P 112.0538.950 112.0058.824


* ADA Compliant: Product is compliant with the American Disabilities Act when properly installed 占



Steel Queen®

معه





STEEL QUEEN Undermount Sinks

CLASSICALLY RELIABLE


Kindred Steel Queen sinks offer versatile durability in a wide variety of styles.

These classic sinks seamlessly complement and accentuate solid-surface countertops anywhere in the house. Equipped with a durable finish to ensure your sink will shine for years to come, even through the growing demands of everyday life.

UNDERMOUNT INSTALLATION

Seamless profile brings sleek style to any kitchen.

ULTRA QUIET



X




Choose from a wide range of shapes, sizes and styles to suit any kitchen.

QSUA1933-8 122.0170.398



Outside Sink Rim Dimensions: 18 3/4" FB x 32 3/4" LR Single Bowl Dimensions: 17" FB x 31" LR x 8" DP Minimum Cabinet Size: 33" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowl with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 17.6 lbs






ACCESSORIES 1 Strainer Basket 2 Bottom Grid 7 Drainer Basket 8 Bamboo Bridge 1135 BGA3117S DBR10S Cutting Board Included 112.0654.749

QSUA1831-8 122.0370.142



Outside Sink Rim Dimensions: 17 3/4" FB x 30 3/4" LR Single Bowl Dimensions: 16" FB x 29" LR x 8" DP Minimum Cabinet Size: 33" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowl with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 13.5 lbs



O

8" [20 cm] deep / prof

- 23" [58 cm] -

- 24 3/4" [63 cm]-

£

ACCESSORIES

1 Strainer Basket 3 Bottom Grid 7 Drainer Basket 8 Bamboo Bridge 1135 BG240S DBR10S Cutting Board 112.0654.749 Included

QSUA1925-8



Outside Sink Rim Dimensions: 18 3/4" FB x 24 3/4" LR Single Bowl Dimensions: 17" FB x 23" LR x 8" DP Minimum Cabinet Size: 27" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowl with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 14.5 lbs



ACCESSORIES

1 Strainer Basket	4 Bottom Grid	7 Drainer Basket	8 Bamboo Bridge
1135	BGA2317S	DBR10S	Cutting Board
Included			112.0654.749

34 KINDRED-SINKWARE.COM

QSUA1922-8 122.0486.890



Single Bowl Dimensions: 17" FB x 20" LR x 8" DP Minimum Cabinet Size: 24" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowl with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 12.1 lbs

Cutting Board

112.0654.749

Outside Sink Rim Dimensions: 18 3/4" FB x 21 3/4" LR

ACCESSORIES

1 Strainer Basket 5 Bottom Grid BG14S Included

7 Drainer Basket 8 Bamboo Bridge DBR10S

QSUA1917-8 122.0170.400

1135



BGA1517S

Outside Sink Rim Dimensions: 18 3/4" FB x 16 3/4" LR Single Bowl Dimensions: 17" FB x 15" LR x 8" DP Minimum Cabinet Size: 18" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowl with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 9.2 lbs

O 8" [20 cm] deep / prof - 15" [38 cm] -16 3/4" [43 cm] -

 \odot

8" [20 cm] deep / prof

- 20" [5] cm] -

- 21 3/4" [55cm] -

ACCESSORIES

1 Strainer Basket 6 Bottom Grid 1135 Included

> **INCLUDED** ACCESSORIES



2 Bottom Grid

BGA3117S

112.0174.878

DBR10S





1 Strainer Basket 1135 112.0040.566

3 Bottom Grid 4 Bottom Grid BG240S BGA2317S BG14S 112.0204.314 112.0174.875

5 Bottom Grid 112.0486.240

6 Bottom Grid	7 Drainer Basket	8 Bamboo Bridge
BGA1517S	DBR10S	Cutting Board
112.0174.872	112.0044.784	112.0654.749

7 Drainer Basket 8 Bamboo Bridge

Cutting Board 112.0654.749

KINDRED-SINKWARE.COM 35

Steel Queen Undermount

OSU1813-7 122.0183.168



Outside Sink Rim Dimensions: 18 1/8" FB x 12 3/4" LR Single Bowl Dimensions: 16" FB x 10 5/8" LR x 7" DP Minimum Cabinet Size: 18" Gauge: 18 Corner Radius: 70mm Finish: Silk Finished Bowl with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Sound Pads & Undercoating Installation: Undermount

Shipping Weight: 9.1 lbs



Steel Queen Undermount ACCESSORIES 6 Bamboo Bridge 1 Strainer Basket 4 Bottom Grid Cutting Board 112.0654.749 1135 Included BG35S

QSUA1820-8 122.0170.399



Outside Sink Rim Dimensions: 17 3/4" FB x 19 3/4" LR Single Bowl Dimensions: 16" FB x 18" LR x 8" DP Minimum Cabinet Size: 21" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowl with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 9.3 lbs

Outside Sink Rim Dimensions: 15 3/4" FB x 15 3/4" LR Single Bowl Dimensions: 14" FB x 14" LR x 6" DP

Finish: Satin Finished Bowl with Silk Finished Rim

Minimum Cabinet Size: 18" Gauge: 20

Corner Radius: 50mm

Drain Hole Location: Rear

Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 5.5 lbs



6" [15cm] deep/prof

15 3/4" [40cm]-

___ 14" [36cm] _____

ACCESSORIES

1 Strainer Basket 2 Bottom Grid 5 Drainer Basket 6 Bamboo Bridge 1135 DBR10S Cutting Board 112.0654.749 BG11S Included

QSUA1616-6 122.0484.875



ACCESSORIES 1 Strainer Basket 6 Bamboo Bridge 1135 Cutting Board 112.0654.749 Included

36 KINDRED-SINKWARE.COM OSUA1816-8 122.0202.335



Single Bowl Dimensions: 16" FB x 14" LR x 8" DP Minimum Cabinet Size: 18" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowl with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 7.1 lbs

Outside Sink Rim Dimensions: 17 3/4" FB x 15 3/4" LR

ACCESSORIES

1 Strainer Basket 3 Bottom Grid 5 Drainer Basket 6 Bamboo Bridge Cutting Board 112.0654.749 BG10S DBR10S 1135 Included

QSU1315-6 122.0311.980



Outside Sink Rim Dimensions: 12 3/4" FB x 14 3/4" LR Single Bowl Dimensions: 11" FB x 13" LR x 6" DP Minimum Cabinet Size: 15" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowl with Silk Finished Rim Drain Hole Location: Center Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 6 lbs



ACCESSORIES

1 Strainer Basket 6 Bamboo Bridge 1135 Cutting Board 112.0654.749 Included

INCLUDED ACCESSORIES



ACCESSORIES



BG11S 112.0044.786



4 Bottom Grid BG35S 112.0044.796



1

Steel Queen Undermount

KINDRED-SINKWARE.COM 37





3 Bottom Grid BG10S 112.0044.785



112.0044.784

QSU1113-6 122.0311.979



Outside Sink Rim Dimensions: 11" FB x 13 3/8" LR Single Bowl Dimensions: 9 1/4" FB x 11 5/8" LR x 6" DP Minimum Cabinet Size: 15" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowl with Silk Finished Rim Drain Hole Location: Center Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 3.8 lbs



QCUA1831R-8 (as shown) 122.0202.322 QCUA1831L-8 (small bowl left) 122.0202.324



Large Bowl Dimensions: 16" FB x 18" LR x 8" DP Small Bowl Dimensions: 16" FB x 10" LR x 7" DP Minimum Cabinet Size: 33" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowls with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 17 lbs

DBR10S

8 Drainer Basket 9 Bamboo Bridge

Cutting Board

112 0654 749


6 Bottom Grid

7 Bottom Grid

BG10S

BG11S

Outside Sink Rim Dimensions: 17 3/4" FB x 30 7/8" LR



ACCESSORIES 1 Strainer Basket 9 Bamboo Bridge 1135 Cutting Board Included 112.0654.749

QCU1933R-9 122.0183.153

Steel Queen Undermount



Large Bowl Dimensions: 17" FB x 18" LR x 9" DP Small Bowl Dimensions: 17" FB x 12" LR x 8" DP Minimum Cabinet Size: 33" Gauge: 18 Corner Radius: 50mm Finish: Silk Finished Bowls with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Sound Pads & Undercoating Installation: Undermount Shipping Weight: 26.4 lbs


Cutting Board

Cutting Board

112 0654 749

112 0654 749

Outside Sink Rim Dimensions: 18 3/4" FB x 32 7/8" LR



ACCESSORIES

1 Strainer Basket 3 Bottom Grid 4 Bottom Grid 8 Drainer Basket 9 Bamboo Bridge BGA18175 BGA12175 1135 DBR10S 2 Included

QCUA1933R-8 122.0170.396



BGA18175


Outside Sink Rim Dimensions: 18 3/4" FB x 32 7/8" LR Large Bowl Dimensions: 17" FB x 18" LR x 8" DP Small Bowl Dimensions: 17" FB x 12" LR x 7" DP Minimum Cabinet Size: 33" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowls with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating

Installation: Undermount Shipping Weight: 17.2 lbs

DBR10S

1 Strainer Basket 3 Bottom Grid 4 Bottom Grid 8 Drainer Basket 9 Bamboo Bridge

BGA1217S



1 Strainer Basket 2 Colander 1135 CA1W 2 Included Included

ACCESSORIES

QCUA1827R-8 (as shown) 122.0202.327 OCUA1827L-8 (small bowl left) 122 0202 329



Outside Sink Rim Dimensions: 17 3/4" FB x 26 7/8" LR Large Bowl Dimensions: 16" FB x 14" LR x 8" DP Small Bowl Dimensions: 16" FB x 10" LR x 7" DP Minimum Cabinet Size: 30" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowls with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 13.8 lbs



1135



OPTIONAL ACCESSORIES

5 Bottom Grid

BG13S



1 Strainer Basket 2 Colander 1135 CA1W 112 0040 566



3 Bottom Grid BGA1817S 112.0174.876

4 Bottom Grid 5 Bottom Grid BGA12175 BG13S

8 Drainer Basket 9 Bamboo Bridge

Cutting Board

112 0654 749

DBR10S





112.0174.874

Cutting Board 112.0654.749

2 Included 38 KINDRED-SINKWARE.COM

ACCESSORIES

1135



2 Included



Included

CA1W

1 Strainer Basket 2 Colander 5 Bottom Grid BG13S






QCU2031R-9 122.0045.000



Outside Sink Rim Dimensions: 20 5/8" FB x 31 1/2" LR Large Bowl Dimensions: 16 1/2" FB x 17 3/4" LR x 9" DP Small Bowl Dimensions: 16 7 FB x 10 5/8" LR x 7" DP Minimum Cabinet Size: 33" Gauge: 18 Corner Radius: 70mm Finish: Silk Finished Bowls with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Sound Pads & Undercoating Installation: Undermount Shipping Weight: 26.0 lbs






ACCESSORIES 1 Strainer Basket 2 Bottom Grid 3 Bottom Grid 7 Bamboo Bridge 1135 BG305 BG355 Cutting Board 2 Included 112.0654.749

QDUA1933-8 122.0170.394



Outside Sink Rim Dimensions: 18 3/4 FB x 32 7/8" LR Equal Size Bowl Dimensions: 17" FB x 15" LR x 8" DP Minimum Cabinet Size: 33" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowls with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Undercoating Installation: Undercoating Installation: Undercoating Shipping Weight: 16.1 Ibs



ACCESSORIES

 1 Strainer Basket
 4 Bottom Grid
 6 Drainer Basket
 7 Bamboo Bridge Cutting Board


 1135
 BGA1517S
 DBR10S
 Cutting Board

 2 Included
 112.0654.749
 112.0654.749

QDUA1831-8 122.0187.705



Outside Sink Rim Dimensions: 17 3/4 FB x 30 7/8" LR Equal Size Bowl Dimensions: 16" FB x 14" LR x 8" DP Minimum Cabinet Size: 33" Gauge: 20 Corner Radius: 50mm Finish: Statin Finished Bowls with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 16.0 Ibs





INCLUDED ACCESSORIES

1135 112.0040.566

D O RIES AG

OPTIONAL ACCESSORIES

2 Bottom Grid

112.0055.435

BG30S

1 Strainer Basket



3 Bottom Grid 4 Be BG355 BG





ACCESSORIES

40 KINDRED-SINKWARE.COM





STEEL QUEEN Topmount / Drop In Sinks

A BEAUTIFUL HISTORY

Combining design and durability worthy of the Kindred Crown, Steel Queen sinks have been a homeowner's favorite for years.

Kindred's drop in sinks are widely regarded as some of the easiest-to-install. Simple enough for a DIY project, these versatile models are the top choice of many home renovators.

STYLE & VERSATILITY

X


 \mathbf{w}

đ

Ò

Choose from a wide range of shapes, sizes and styles to suit any kitchen.

EZ TORQUE INSTALLATION





The placement of the drain has been designed to maximize bowl space.

QSLA2233-8-4 (4 faucet holes) QSLA2217-8-3 (3 faucet holes) 101.0169.277 101.0169.282 QSLA2233-8-3 (3 faucet holes) QSLA2217-8-1 (1 faucet hole) 101.0169.276 101.0169.281 QSLA2233-8-1 (1 faucet hole) 101.0169.275 Outside Sink Rim Dimensions: 22" FB x 33 3/8" LR Single Bowl Dimensions: 17" FB x 31" LR x 8" DP 000 Minimum Cabinet Size: 36" O Gauge: 20 8" [20 cm] deep / prof Corner Radius: 50mm Finish: Satin Finished Bowl with Mirror Finished Rim Drain Hole Location: Rear Steel Queen Topmount / Drop In 31" [79 cm] -63 Sound Dampening: Undercoating - 33 3/8" [85 cm] Installation: Topmount / Drop In Shipping Weight: 16.4 lbs ACCESSORIES ACCESSORIES 1 Strainer Basket 5 Bottom Grid 7 Drainer Basket 1 Strainer Basket 2 Bottom Grid 7 Drainer Basket EZ. 1135 BGA3117S DBR10S 1135 BGA1517S DBR10S Included Included QSL2020-8-3 (3 faucet holes) QSLA2031-8-4 (4 faucet holes) 101.0045.230 101.0202.189 QSLA2031-8-3 (3 faucet holes) OSL2020-8-1 (1 faucet hole) 101.0202.187 101.0045.229 QSLA2031-8-1 (1 faucet hole) 101.0202.185 Outside Sink Rim Dimensions: 20 1/2" FB x 31 1/4" LR 000 Single Bowl Dimensions: 16" FB x 29" LR x 8" DP Minimum Cabinet Size: 33" \bigcirc CL D Gauge: 20 2 Corner Radius: 50mm 8" (20 cm) deep / prof 20 102 Finish: Satin Finished Bowl with Mirror Finished Rim Drain Hole Location: Rear 63 Sound Dampening: Undercoating 29" (73 cm) - 31 1/4" (79 cm) -Installation: Topmount / Drop In Shipping Weight: 14.7 lbs ACCESSORIES ACCESSORIES 1 Strainer Basket 3 Bottom Grid 7 Drainer Basket 1 Strainer Basket 6 Bottom Grid 7 Drainer Basket EZ 1135 BG240S DBR10S 1135 BG11S DBR10S Included Included OPTIONAL ACCESSORIES QSLA2225-8-4 (4 faucet holes) **INCLUDED** 101.0169.280 ACCESSORIES OSLA2225-8-3 (3 faucet holes) 101.0169.279 QSLA2225-8-1 (1 faucet hole) 101.0169.278 Outside Sink Rim Dimensions: 22" FB x 25 1/4" LR 000 Single Bowl Dimensions: 17" FB x 23" LR x 8" DP 1 Strainer Basket 2 Bottom Grid \bigcirc Minimum Cabinet Size: 27" 1135 112.0040.566 BGA3117S Gauge: 20 112.0174.878 8" [20cm] deep / prof Corner Radius: 50mm Finish: Satin Finished Bowl with Mirror Finished Rim Drain Hole Location: Rear - 23" [58cm]-6. Sound Dampening: Undercoating - 25 1/4" [64cm] Installation: Topmount / Drop In Shipping Weight: 15.0 lbs ACCESSORIES 5 Bottom Grid 1 Strainer Basket 4 Bottom Grid 7 Drainer Basket BGA1517S 112.0174.872 EZ 1135 BGA23175 DBR10S Included ΔΔ KINDRED-SINKWARE.COM

6 Bottom Grid BG11S	7 Drainer Basket DBR10S	
112.0044.786	112.0044.784	

4 Bottom Grid

BGA2317S

112.0174.875

Outside Sink Rim Dimensions: 22" FB x 17 1/4" LR Single Bowl Dimensions: 17" FB x 15" LR x 8" DP

Finish: Satin Finished Bowl with Mirror Finished Rim

Outside Sink Rim Dimensions: 20 1/2" FB x 20" LR

Single Bowl Dimensions: 16" FB x 18" LR x 8" DP

Finish: Satin Finished Bowl with Mirror Finished Rim

Minimum Cabinet Size: 24"

Drain Hole Location: Rear

Shipping Weight: 9.7 lbs

.

112.0204.314

3 Bottom Grid

BG240S

Sound Dampening: Undercoating

Installation: Topmount / Drop In

Corner Radius: 50mm

Gauge: 20

Minimum Cabinet Size: 21"

Corner Radius: 50mm


Drain Hole Location: Rear

Shipping Weight: 9.3 lbs

Sound Dampening: Undercoating

Installation: Topmount / Drop In

Gauge: 20



000

[56

000 0 8" (20 cm) deep / prof

EZ





OSA1820-8 101.0202.331



Single Bowl Dimensions: 16" FB x 18" LR x 8" DP Minimum Cabinet Size: 24" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowl with Mirror Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 9.9 lbs

ACCESSORIES 1 Strainer Basket 3 Bottom Grid 7 Drainer Basket 8 Bamboo Bridge DBR10S Cutting Board 1135 BG11S Included 112.0654.749

QSA1816-8 101.0202.339

ACCESSORIES

1135

Included

101.0045.226

101.0045.225

1 Strainer Basket 4 Bottom Grid

QSL2020-7-3 (3 faucet holes)

OSL2020-7-1 (1 faucet hole)

Steel Queen Topmount / Drop In



BG10S

Outside Sink Rim Dimensions: 18 1/8" FB x 16 1/8" LR Single Bowl Dimensions: 16" FB x 14" LR x 8" DP Minimum Cabinet Size: 18" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowl with Mirror Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 8.2 lbs

7 Drainer Basket 8 Bamboo Bridge

Cutting Board

112 0654 749

DBR10S

7 Drainer Basket

DBR10S

Outside Sink Rim Dimensions: 18 1/8" FB x 20 1/8" LR



8" (20cm) deep / pro

- 18" (46cm)

— 20 1/8" (51cm) ·

EZ

QCLA2031R-8 (as shown) QCLA2031R-8-3 (3 faucet holes) 101.0201.838

QCLA2031R-8-1 (1 faucet hole) 101.0201.835



ACCESSORIES 1 Strainer Basket 2 Colander

1135 CA1W 2 Included Included

QDLA2233-8-4 (4 faucet holes) 101.0169.266 QDLA2233-8-3 (3 faucet holes) 101.0169.265 QDLA2233-8-1 (1 faucet hole) 101.0169.264

QCLA2031L-8 (small bowl left) QCLA2031L-8-3 (3 faucet holes) 101.0201.844

QCLA2031L-8-1 (1 faucet hole) 101.0201.842

5 Bottom Grid

BG13S

3 Bottom Grid

BG11S

Outside Sink Rim Dimensions: 20 1/2" FB x 31 1/4" LR Large Bowl Dimensions: 16" FB x 18" LR x 8" DP Small Bowl Dimensions: 16" FB x 10" LR x 7" DP Minimum Cabinet Size: 30" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowls with Mirror Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 15.9 lbs

7 Drainer Basket

DBR10S


O 8* (20cm) deep / prof _____ 18" (46cm) _____ L 10" (25cm) Steel Queen opmount / Drop I - 31 1/4" (79cm)

5





Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowls with Mirror Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Topmount / Drop In





Shipping Weight: 17.2 lbs

Outside Sink Rim Dimensions: 22" FB x 33 3/8" LR

Equal Size Bowl Dimensions: 17" FB x 15" LR x 8" DP Minimum Cabinet Size: 36"

ACCESSORIES

1 Strainer Basket 6 Bottom Grid 7 Drainer Basket 1135 BGA1517S DBR10S 2 Included

INCLUDED



4 Bottom Grid BG13S 112.0367.605



OPTIONAL ACCESSORIES











7 Drainer Basket 8 Bamboo Bridge Cutting Board 112.0654.749 112.0044.784

46 KINDRED-SINKWARE.COM

1 Strainer Basket 3 Bottom Grid

BG11S

ACCESSORIES

1135

Included





m) (25

(41 c



O

EZ

EZ

ACCESSORIES

1 Strainer Basket 1135 112.0040.566

-

CA1W 112.0202.209

as indicated

On select models

2 Colander

3 Bottom Grid BG10S 112.0044.785

5 Bottom Grid

CTIER.







QCLA2027R-8 (as shown) QCLA2027R-8-3 (3 faucet holes) 101.0202.031	QCLA2027L-8 (small bowl left) QCLA2027L-8-3 (3 faucet holes) 101.0202.172		QCMA1826-7-3 (3 faucet holes) 101.0201.833 QCMA1826-7-1 (1 faucet hole)
QCLA2027R-8-1 (1 faucet hole) 101.0202.029	QCLA2027L-8-1 (1 faucet hole) 101.0202.160		101.0203.912
	Outside Sink Rim Dimensions: 20 9/16" FB x 27 1/4" LR Large Bowl Dimensions: 16" FB x 14" LR x 8" DP Small Bowl Dimensions: 16" FB x 10" LR x 7" DP Minimum Cabinet Size: 30" Gauge: 20 Corner Radius: 50mm Finish: Satir Finished Bowls with Mirror Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 15.1 lbs	Image: Construction of the second s	
ACCESSORIES 1 Strainer Basket 2 Colander 1135 CA1W BG10S 2 Included Included	n Grid 4 Bottom Grid 7 Drainer Basket BG13S DBR10S	TORQUE	ACCESSORIES 1 Strainer Basket 3 Bottom Grid 7 1 1135 BG10S 1 2 Included
QDC2031R-8-1 101.0045.160			QD1831-8 101.0045.147
	Outside Sink Rim Dimensions: 20 5/8" FB x 31 1/2" LR Large Bowl Dimensions: 18 1/2" FB x 17 3/4" LR x 8" Df Small Bowl Dimensions: 16" FB x 10 5/8" LR x 7" DP Minimum Cabinet Size: 33" Gauge: 20 Corner Radius: 89mm Finish: Satin Finished Bowls with Mirror Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 22.4 lbs		
ACCESSORIES			ACCESSORIES
1 Strainer Basket 5 Bottom Grid 6 Bottom 1135 BG30S BG35S 2 Included BG35S BG35S	ı Grid		1 Strainer Basket 3 Bottom Grid 7 1135 BG10S 2 Included
QDL2031-8-4 (4 faucet holes) 101.0045.183			INCLUDED OPTIO ACCESSORIES ACCES

7 Drainer Basket 8 Bamboo Bridge asket 3 Bottom Grid BG10S DBR10S



Outside Sink Rim Dimensions: 18 7/16" FB x 31 1/4" LR Equal Size Bowl Dimensions: 16" FB x 14" LR x 8" DP Minimum Cabinet Size: 33" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowls with Mirror Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 17.2 lbs

Outside Sink Rim Dimensions: 18 1/8" FB x 26 1/2" LR

Finish: Satin Finished Bowls with Mirror Finished Rim

Large Bowl Dimensions: 16" FB x 14" LR x 7" DP Small Bowl Dimensions: 11 5/8" FB x 9 1/4" LR x 6" DP

Minimum Cabinet Size: 30"


Drain Hole Location: Rear

Sound Dampening: Undercoating

Installation: Topmount / Drop In Shipping Weight: 12.8 lbs

Cutting Board 112.0654.749

Gauge: 20 Corner Radius: 50mm





101.0045.183 ODL2031-8-3 (3 faucet holes) 101.0045.182 QDL2031-8-1 (1 faucet hole) 101.0045.180

Steel Queen Topmount / Drop In



BG10S

7 Drainer Basket


DBR10S

1 Strainer Basket 3 Bottom Grid

. Minimum Cabinet Size: 33" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowls with Mirror Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 15.3 lbs

Outside Sink Rim Dimensions: 20 1/2" FB x 31 1/4" LR

Equal Size Bowl Dimensions: 16" FB x 14" LR x 8" DP





1 Strainer Basket

1135 112.0040.566

-

CA1W 112.0202.209

as indicated

2 Colander

OPTIONAL ACCESSORIES



DBR10S



7 Drainer Basket 8 Bamboo Bridge

4 Bottom Grid 5 Bottom Grid

Cutting Board 112.0654.749

3 Bottom Grid BG10S 112.0044.785

BG13S 112.0367.605 BG30S 112.0055.435







000

Steel Queen pmount / Drop In

O

7" (18 cm) de ep / prof

______ 14" (36cm) ______ 9 1/4" _____

_____ 26 1/2" (67cm) _____

EZ

1/8" 6" (4

KINDRED-SINKWARE.COM 49

48 KINDRED-SINKWARE.COM

ACCESSORIES

2 Included

QDL2031-7-4 (4 faucet holes) 101.0045.178 QDL2031-7-3 (3 faucet holes) 101.0045.177 QDL2031-7-1 (1 faucet hole) 101.0045.176



1 Strainer Basket 2 Bottom Grid 3 Drainer Basket

BG10S

ACCESSORIES


1135 2 Included

Steel Queen Topmount / Drop In

Content Adults, Sofimi Finish Staff Finished Bowls with Mirror Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 15.9 lbs

DBR10S

Gauge: 20 Corner Radius: 50mm



Outside Sink Rim Dimensions: 20 1/2" FB x 31 1/4" LR Equal Size Bowl Dimensions: 16" FB x 14" LR x 7" DP Minimum Cabinet Size: 33"

EZ

0000 \bigcirc

_14" [36 cm] ____ 14" [36 cm]____ - 31 1/4" [79 cm

7" [18 cm] deep / prof

7" [18 cm]



OPTIONAL ACCESSORIES



1135 112.0040.566















STEEL QUEEN Utility Sinks

BASIN BEAUTY

Rely on Kindred for high-performing beauty — in any room of the house.

Our designers have spent decades perfecting Kindred's stainless steel utility sinks, offered in a number of sizes and styles to suit any interior.

Tough yet refined, our finishes provide sanitary durability made to last.

HIGHLY RESILIENT

Strong enough to take on life's messiest jobs with ease and is easy-to-clean and maintain.

ULTRA QUIET

 $\langle\!\langle \rangle\!\rangle$

オ

Sound dampening system that keeps your kitchen clear of excess noise from running water and disposal vibration.






QSLF2020-12-3 (3 faucet holes) 101.0293.898 QSLF2020-12-1 (1 faucet hole) 101.0300.801



Outside Sink Rim Dimensions: 20 9/16" FB x 20 1/8" LR Single Bowl Dimensions: 16" FB x 18" LR x 12" DP Minimum Cabinet Size: 24" Gauge: 18 Corner Radius: 25mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads & Undercoating Installation: Dualmount Shipping Weight: 32.3 lbs




ACCESSORIES 1 Strainer Basket 4 Drainer Basket 1135 DBR10S Included

Steel Queen Utility - Laundry

QSLF2020-10-3 (3 faucet holes) 101.0293.893 QSLF2020-10-1 (1 faucet hole) 101.0300.792



Outside Sink Rim Dimensions: 20 9/16" FB x 20 1/8" LR Single Bowl Dimensions: 16" FB x 18" LR x 10" DP Minimum Cabinet Size: 24" Gauge: 18 Corner Radius: 25mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads & Undercoating Installation: Dualmount Shipping Weight: 29.9 lbs



ACCESSORIES 1 Strainer Basket 4 Drainer Basket 1135 DBR10S Included

QSL2225-12-3 (3 faucet holes)

QSL2225-12-1 (1 faucet hole) 101.0689.150



Outside Sink Rim Dimensions: 22 1/16" FB x 25 5/8" LR Single Bowl Dimensions: 17 1/2" FB x 23 1/2" LR x 12" DP Minimum Cabinet Size: 27" Gauge: 18 Corner Radius: 70mm Finish: Satin Finished Bowl with Mirror Finished Rim Drain Hole Location: Center Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 20.4 lbs



EZ

101.0689.151 QSLA2225-10-3 (3 faucet holes) 101.0522.739 OSLA2225-10-1 (1 faucet hole) 101.0522.738

QSLA2225-10-4 (4 faucet holes)



BGA2317S

ACCESSORIES

1135

Included

113.0045.222

113.0045.221

1 Strainer Basket 2 Bottom Grid

QSL2020-10-3 (3 faucet holes)

QSL2020-10-1 (1 faucet hole)

Minimum Cabinet Size: 27" Gauge: 18 Corner Radius: 50mm Finish: Satin Finished Bowl with Mirror Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 17.5 lbs

Outside Sink Rim Dimensions: 22" FB x 25 1/4" LR

Single Bowl Dimensions: 17" FB x 23" LR x 10" DP





Single Bowl Dimensions: 16" FB x 18" LR x 10" DP Minimum Cabinet Size: 24" Gauge: 20 Corner Radius: 70mm Finish: Satin Finished Bowl with Mirror Finished Rim Drain Hole Location: Center Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 14 lbs

Outside Sink Rim Dimensions: 20 9/16" FB x 20 1/8" LR



EZ

INCLUDED ACCESSORIES

ACCESSORIES

1135

Included



OPTIONAL ACCESSORIES

2 Bottom Grid

112.0174.875

BGA2317S



1 Strainer Basket 3 Bottom Grid

BG110S







1 Strainer Basket 1135 112.0040.566

3 Bottom Grid 4 Drainer Basket BG110S DBR10S 112.0044.784 112.0040.526





54 KINDRED-SINKWARE.COM

ACCESSORIES 1 Strainer Basket

1135 Included



Steel Queen Utility - Laundry

QSU1820-10 122.0202.337



Outside Sink Rim Dimensions: 18 1/8" FB x 20 1/8" LR Single Bowl Dimensions: 16" FB x 18" LR x 10" DP Minimum Cabinet Size: 21" Gauge: 20 Corner Radius: 70mm Finish: Satin Finished Bowl with Satin Finished Rim Drain Hole Location: Center Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 12.1 lbs





ACCESSORIES 1 Strainer Basket 2 Bottom Grid 1135 BG110S Included

QS1820-10 101.0557.587



Outside Sink Rim Dimensions: 18 1/8" FB x 20 1/8" LR Single Bowl Dimensions: 16" FB x 18" LR x 10" DP Minimum Cabinet Size: 24" Gauge: 20 Corner Radius: 70mm Finish: Satin Finished Bowl with Mirror Finished Rim Drain Hole Location: Center Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 13.8 lbs

Gauge: 20



EZ

ACCESSORIES 1 Strainer Basket 2 Bottom Grid

1135 BG110S Included

RSL2020-10-3 (3 faucet holes) 101.0255.448 RSL2020-10-1 (1 faucet hole) 101.0691.856



ACCESSORIES 1 Strainer Basket 3 Bottom Grid 1135 BG110S Included

KINDRED-SINKWARE.COM





INCLUDED ACCESSORIES

QCA1942-10

101.0651.327

ACCESSORIES

2 Included

1135

1 Strainer Basket 3 Bottom Grid

BGA2317S



OPTIONAL ACCESSORIES

BG110S 112.0040.526



1 Strainer Basket 2 Bottom Grid 1135 112.0040.566

3 Bottom Grid 4 Bottom Grid BGA2317S BGA1517S 112.0174.875 112.0174.872

Outside Sink Rim Dimensions: 19 3/8" FB x 41 1/2" LR Large Bowl Dimensions: 17" FB x 23" LR x 10" DP

Small Bowl Dimensions: 17" FB x 15" LR x 8" DP

Finish: Satin Finished Bowl with Mirror Finished Rim

Minimum Cabinet Size: 45"

Corner Radius: 50mm

Drain Hole Location: Rear

Shipping Weight: 25.5 lbs


Sound Dampening: Undercoating

Installation: Topmount / Drop In

Gauge: 18

4 Bottom Grid

BGA1517S









QSR18-8 113.0045.253



Outside Sink Rim Dimension: 18 1/8" Diameter Single Bowl Dimension: 16" Diameter x 8" DP Minimum Cabinet Size: 21" Gauge: 20 Finish: Satin Finished Bowl with Mirror Finished Rim Drain Hole Location: Center Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 8.5 lbs





Single Bowl Dimensions: 11" FB x 13" LR x 6" DP Minimum Cabinet Size: 18" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowl with Mirror Finished Rim Drain Hole Location: Center Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 5.5 lbs

- 13" [33 cm] - 15 1/8" [38 cm]

Steel Queen Utility - Hospitality



Steel Queen Utility - Hospitality

ACCESSORIES 1 Strainer Basket 1135 Included

QSL1719-8-3 (3 faucet holes) 101.0045.215 QSL1719-8-2 (2 faucet holes) 101.0045.214 QSL1719-8-1 (1 faucet hole) 101.0045.213



Outside Sink Rim Dimensions: 17" FB x 19 1/8" LR Single Bowl Dimensions: 12" FB x 17" LR x 8" DP Minimum Cabinet Size: 21" Gauge: 20 Corner Radius: 70mm Finish: Satin Finished Bowl with Mirror Finished Rim Drain Hole Location: Center Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 9 lbs



EZ

QSA1616-6 113.0484.871

ACCESSORIES

Included

1135

1 Strainer Basket



Outside Sink Rim Dimensions: 16 1/8" FB x 16 1/8" LR Single Bowl Dimensions: 14" FB x 14" LR x 6" DP Minimum Cabinet Size: 18" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowl with Mirror Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 6.9 lbs



EZZ (

QSL1515-6-2 (2 faucet holes) 113.0045.211 QSL1515-6-1 (1 faucet hole) 113.0045.210



Outside Sink Rim Dimensions: 15 7/16" FB x 15 1/8" LR



Single Bowl Dimensions: 11" FB x 13" LR x 6" DP Minimum Cabinet Size: 18" Gauge: 20 Corner Radius: 50mm Finish: Satin Finished Bowl with Mirror Finished Rim Drain Hole Location: Center Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 5.6 lbs

Outside Sink Rim Dimensions: 13 1/8" FB x 15 1/8" LR





ACCESSORIES 1 Strainer Basket

1135 Included

QS1315-6

113.0045.194

1 Strainer Basket 1135 Included

INCLUDED ACCESSORIES



1 Strainer Basket 1135 112.0040.566



ERZE &

* ADA Compliant: Product is compliant with the American Disabilities Act when properly installed 👌



KINDRED-SINKWARE.COM

QSL1313-6-2 (2 faucet holes) 113.0045.208 **QSL1313-6-1** (1 faucet hole) 113.0045.207



ACCESSORIES 1 Strainer Basket 1135 Included

Steel Queen Utility - Hospitality

QS1113-6 113.0045.193



Outside Sink Rim Dimensions: 11 1/4" FB x 13 5/8" LR Outside Sink Kim Dimensions: 11 1/4 14 X 13 5/8 LR Single Bowl Dimensions: 9 1/4 FB x 11 5/8" LR x 6" DP Minimum Cabinet Size: 18" Gauge: 20 Comer Radius: 50mm Finshi: Satin Finshed Bowl with Mirror Finished Rim David Albh Lington Control Radius Drain Hole Location: Center Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 5.0 lbs

Outside Sink Rim Dimensions: 13 5/8" FB x 13 5/8" LR Single Bowl Dimensions: 9 1/4" FB x 11 5/8" LR x 6" DP Minimum Cabinet Size: 18" Gauge: 20 Comer Radius: 50mm

Finish: Satin Finished Bowl with Mirror Finished Rim

Drain Hole Location: Center Sound Dampening: Undercoating Installation: Topmount / Drop In Shipping Weight: 4.7 lbs



EZZ &

Ο 0

ep / prof

L11 5/8" [30 cm] 13 5/8" [35 cm]-

ACCESSORIES 1 Strainer Basket 1135 Included

INCLUDED ACCESSORIES



1135 112.0040.566

* ADA Compliant: Product is compliant with the American Disabilities Act when properly installed 👃




E C



With a complete range of features and styles that are easy to install and easy to maintain, they're sure to become easy to love- by builders, installers, and homeowners alike. On selected models, real life meets real simplicity with the

EZ Torque installation process, cutting time off the job with smart engineering.





CREEMORE **Topmount / Drop In Sinks**

QUIET AS A WHISPER


With pioneering Whisper Steel sound dampening pads, Creemore topmount sinks make even the busiest bowls a pleasure to use.

Installation is as easy as a few simple steps with our streamlined fastener system designed to lock the sink securely to the countertop. Worry-free steel from the industry leader in stainless ensures that Creemore topmount sinks will retain their style for years to come.

EZ TORQUE INSTALLATION

Simplified fastener system and dropand-drill process make this one of the industry's quickest sinks to install.









W)


đ

Greater capacity than traditional tapered

CSLA1515-6-2CB 101.0599.885



Outside Sink Rim Dimensions: 15" FB x 15" LR Single Bowl Dimensions: 11" FB x 13" LR x 6" DP Minimum Cabinet Size: 18" Gauge: 20 Corner Radius: 50mm Finish: Satin Finish Drain Hole Location: 2" Center Sound Dampening: Sound Pads Installation: Topmount / Drop In Shipping Weight: 5.5 lbs




بع تعجي

Strainer Not Included



BG2317R

Outside Sink Rim Dimensions: 22" FB x 25" LR Single Bowl Dimensions: 17" FB x 23" LR x 8" DP Minimum Cabinet Size: 27" Gauge: 20 Corner Radius: 50mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Topmount / Drop In Shipping Weight: 9.6 lbs






1 Strainer Basket 2 Bottom Grid

CSLA2522-7-4 (4 faucet holes)



Finish: Satin Finish Drain Hole Location: Center Sound Dampening: Sound Pads Installation: Topmount / Drop In Shipping Weight: 8.6 lbs



EZ

ACCESSORIES 1 Strainer Basket 3 Bottom Grid

4010856 BG2317C Included

Outside Sink Rim Dimensions: 22" FB x 25" LR Single Bowl Dimensions: 17" FB x 23" LR x 7" DP Minimum Cabinet Size: 27" Gauge: 22 Corner Radius: 50mm

CSLA2522-6-4 (4 faucet holes) 101.0637.045 CSLA2522-6-3 (3 faucet holes) 101.0637.044 CSLA2522-6-1 (1 faucet hole) 101.0637.043



ACCESSORIES


1 Strainer Basket 3 Bottom Grid 4010856 BG2317C Included

FCDLA3322-8-4CB (4 faucet holes) 101.0652.631 FCDLA3322-8-3CB (3 faucet holes) 101.0637.053 FCDLA3322-8-1CB (1 faucet hole) 101.0637.052

Minimum Cabinet Size: 27" Gauge: 22 Corner Radius: 50mm Finish: Satin Finish Drain Hole Location: Center Sound Dampening: Sound Pads Installation: Topmount / Drop In Shipping Weight: 7.6 lbs

Outside Sink Rim Dimensions: 22" FB x 25" LR

Single Bowl Dimensions: 17" FB x 23" LR x 6" DP



Ġ.




BG1715R

Gauge: 18 lius: 50mm n Finish Location: Rear npening: Sound Pads Topmount / Drop In eight: 17.2 lbs

Minimum Cabinet Size: 36"

Outside Sink Rim Dimensions: 22" FB x 33" LR

Equal Size Bowl Dimensions: 17" FB x 15" LR x 8" DP



1	S VA	Corner Radi Finish: Satir
ľ	0	Drain Hole Sound Dam Installation
	U	Shipping W



EZ

INCLUDED ACCESSORIES

ACCESSORIES

4010856

2 Included



OPTIONAL ACCESSORIES

1 Strainer Basket 4 Bottom Grid



2 Bottom Grid

112.0611.550

* ADA Compliant: Product is compliant with the American Disabilities Act when properly installed 占

BG2317R



1 Strainer Basket 4010856 112.0083.598

3 Bottom Grid 4 Bottom Grid BG2317C BG1715R 112.0611.545 112.0611.548



KINDRED-SINKWARE.COM 67

66 KINDRED-SINKWARE.COM

ACCESSORIES

4010856

Included




CDLA3322-8-4CB (4 faucet holes) 101.0637.042 CDLA3322-8-3CB (3 faucet holes) 101.0637.041 CDLA3322-8-1CB (1 faucet hole) 101.0637.040




Outside Sink Rim Dimensions: 22" FB x 33" LR Equal Size Bowl Dimensions: 17" FB x 15" LR x 8" DP . Minimum Cabinet Size: 36" Gauge: 20 Corner Radius: 50mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Topmount / Drop In

Shipping Weight: 17.2 lbs



EZ

ACCESSORIES 1 Strainer Basket 2 Bottom Grid



CDLA3322-7-4 (4 faucet holes) 101.0637.039 CDLA3322-7-3 (3 faucet holes) 101.0637.038 CDLA3322-7-1 (1 faucet hole) 101.0637.037



BG1715C

1 Strainer Basket 3 Bottom Grid

CDLA3322-6-4 (4 faucet holes)

CDLA3322-6-3 (3 faucet holes)

CDLA3322-6-1 (1 faucet hole)

ACCESSORIES

4010856


2 Included

101.0637.036

101.0637.035

101.0637.034


Outside Sink Rim Dimensions: 22" FB x 33" LR Equal Bowl Dimensions: 17" FB x 15" LR x 7" DP Minimum Cabinet Size: 36" Gauge: 22 Corner Radius: 50mm Finish: Satin Finish Drain Hole Location: Center Sound Dampening: Sound Pads Installation: Topmount / Drop In



RDLA3319-6-4CB 101.0689.157




Outside Sink Rim Dimensions: 18 5/16" FB x 32 15/16" LR Equal Bowl Dimensions: 14" FB x 14" LR x 6" DP Minimum Cabinet Size: 36" Gauge: 22 Corner Radius: 90mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Topmount / Drop In Shipping Weight: 13.0 lbs



ACCESSORIES 1 Strainer Basket

4010856 2 Included





EZ

INCLUDED







* ADA Compliant: Product is compliant with the American Disabilities Act when properly installed 🖒

1 Strainer Basket 4010856 112.0083.598

2 Bottom Grid 3 Bottom Grid BG1715R 112.0611.548 BG1715C 112.0611.546

Outside Sink Rim Dimensions: 22" FB x 33" LR Equal Bowl Dimensions: 17" FB x 15" LR x 6" DP Minimum Cabinet Size: 36" Gauge: 22 Corner Radius: 50mm Finish: Satin Finish Drain Hole Location: Center Sound Dampening: Sound Pads

Installation: Topmount / Drop In Shipping Weight: 13.5 lbs

0 0 0 0 O O 6" [15cm] deep/prof 6" [15cm] deeploof

ACCESSORIES 1 Strainer Basket 3 Bottom Grid

4010856 BG1715C 2 Included

68 KINDRED-SINKWARE.COM






Ġ



Reginox





Undermount Sinks

A SINK FOR ANY SPACE

One size does not fit all- especially where sinks are concerned. Reginox sinks come in sizes and configurations to fit any room in the house.

Kindred's highly versatile undermount sinks are designed to sit under any solid surface counter. A seamless profile that introduces sleek style to your kitchen.

UNDERMOUNT INSTALLATION Seamless profile brings sleek style to

any kitchen.



...

i∕⁄/}_

breeze and add a soft touch to any room.


EASY CARE STAINLESS

Sturdy 20-18 gauge steel from the industry leader in stainless, with a finish that will stand up to hard work, year in and year out.

NS1930U-9



Outside Sink Rim Dimensions: 18 3/4" FB x 29 3/4" LR Single Bowl Dimensions: 17" FB x 28" LR x 8 1/2" DP Minimum Cabinet Size: 33" Gauge: 18 Comer Radius: 70mm Finish: Linear Brushed Bowl with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 18.4 lbs



ACCESSORIES

 1 Strainer Basket
 2 Bottom Grid
 5 Drainer Basket


 1135
 BG90S
 DBR10S

 Included
 DBR10S
 DBR10S

NS1925U-9 122.0264.715



Outside Sink Rim Dimensions: 18 3/4" FB x 24 3/4" LR Single Bowl Dimensions: 17" FB x 23" LR x 8 1/2" DP Minimum Cabinet Size: 27" Gauge: 18 Corner Radius: 70mm Finish: Linear Brushed Bowl with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 15.3 lbs



ACCESSORIES

Reginox


1 Strainer Basket 3 Bottom Grid 5 Drainer Basket 1135 BG80S DBR10S Included

NS1820UA-9 122.0523.289



BG11S

Outside Sink Rim Dimensions: 17 3/4" FB x 19 3/4" LR Single Bowl Dimensions: 16" FB x 18" LR x 8 1/2" DP Minimum Cabinet Size: 21" Gauge: 18 Corner Radius: 70mm Finish: Linear Brushed Bowl with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 11.9 Ibs




RSU1820-7



Single Bowl Dimensions: 16" FB x 18" LR x 7" DP Minimum Cabinet Size: 21" Gauge: 20 Comer Radius: 70mm Finish: Linear Brushed Bowl with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Undermount Shipping Weight: 7.9 lbs

Outside Sink Rim Dimensions: 17 3/4" FB x 19 3/4" LR



ACCESSORIES 1 Strainer Basket 4 Bottom Grid 1135 BG11S Included

NS1813U-7

Outside Sink Rim Dimensions: 18 1/8" FB x 12 3/8" LR Single Bowl Dimensions: 16" FB x 10 5/8" LR x 7" DP Minimum Cabinet Size: 15" Gauge: 18 Comer Radius: 89mm Finish: Linear Brushed Bowl with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 7.0 lbs



Reginox Indermou

ACCESSORIES
1 Strainer Basket 6 Bottom Grid

1135 BG35S Included

INCLUDED ACCESSORIES

1 Strainer Basket

1135 112.0040.566



OPTIONAL ACCESSORIES





2 Bottom Grid BG90S 112.0044.794
 3 Bottom Grid
 4 Bottom Grid

 BG80S
 BG11S

 112.0044.793
 112.0044.786



5 Drainer Basket 6 Bottom Grid DBR105 BG355 112.0044.784 112.0044.796



74 KINDRED-SINKWARE.COM

1 Strainer Basket 4 Bottom Grid

ACCESSORIES

1135

Included

NDCX2132RU-9 122.0264.712




Outside Sink Rim Dimensions: 20 1/4" FB x 31 1/8" LR Large Bowl Dimensions: 18 1/2" FB x 17 3/4" LR x 8 1/2" DP Small Bowl Dimensions: 18 1/2" FB x 10 5/8" LR x 7" DP Minimum Cabinet Size: 33" Gauge: 18 Finish: Linear Brushed Bowl with Silk Finished Rim Drain Hole Location: Rear

Sound Dampening: Undercoating

Installation: Undermount

Shipping Weight: 16.8 lbs



ACCESSORIES


1 Strainer Basket 2 Bottom Grid 3 Bottom Grid 1135 BG35S BG30S 2 Included

ND1831UA-9 122.0523.305





Outside Sink Rim Dimensions: 17 3/4" FB x 30 7/8" LR Equal Size Bowl Dimensions: 16" FB x 14" LR x 8 1/2" DP Minimum Cabinet Size: 33" Gauge: 18 Corner Radius: 50mm Finish: Linear Brushed Bowl with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Undermount Shipping Weight: 18.8 lbs




ACCESSORIES

1 Strainer Basket 4 Bottom Grid 6 Drainer Basket BG10S DBR10S 1135

NDC1827RU-9



Outside Sink Rim Dimensions: 17 3/4" FB x 26 7/8" LR Large Bowl Dimensions: 16" FB x 14" LR x 8 1/2" DP Small Bowl Dimensions: 16" FB x 10" LR x 7" DP Minimum Cabinet Size: 30" Gauge: 18 Corner Radius: 70mm Finish: Linear Brushed Bowl with Silk Finished Rim Drain Hole Location: Rear Sound Dampening: Undercoating Installation: Undermount




RDU1831-7

122.0391.891



Outside Sink Rim Dimensions: 17 3/4" FB x 30 7/8" LR Equal size Bowl Dimensions: 16" FB x 14" LR x 7" DP Minimum Cabinet Size: 33" Gauge: 20 Finish: Linear Brushed Bowl with Silk Finished Rim



ACCESSORIES



Corner Radius: 70mm Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Undermount Shipping Weight: 12.5 lbs





2 Included



Shipping Weight: 15.6 lbs

ACCESSORIES

1 Strainer Basket	4 Bottom Grid	5 Bottom Grid	6 Drainer Basket
1135	BG10S	BG13S	DBR10S
2 Included			

76 KINDRED-SINKWARE.COM KINDRED-SINKWARE.COM 77

ACCESSORIES



INCLUDED

1135 112.0040.566








5 Bottom Grid BG13S 112.0367.605 DBR10S

OPTIONAL ACCESSORIES

.







Topmount / Drop In Sinks

NO-HASSLE INSTALLATION

Upgrade your home easily with a highly versatile sink from the Reginox Collection.

These drop in sinks offer a variety of spacious bowl sizes, easy-to-clean lightly rounded corners, and configurations that combine style and practicality.

Easy to install, this topmount line includes large capacity models. Upgrade your cleaning power with a Reginox topmount.

TOPMOUNT / DROP IN INSTALLATION

A favorite for quick kitchen upgrades due to ease of installation and versatility of placement.

BRILLIANT FINISH

Pre-finished to a glowing, hygienic, and easy-to-clean finish.

EZ TORQUE INSTALLATION

Simplified fastener system and dropand-drill process make this one of the industry's quickest sinks to install.

জ

đ

RSL2020-3 (3 faucet holes) 101.0045.302 RSL2020-1 (1 faucet hole) 101.0045.301



BG110S

Outside Sink Rim Dimensions: 20 9/16" FB x 20 1/8" LR Single Bowl Dimensions: 16" FB x 18" LR x 7" DP Minimum Cabinet Size: 24" Gauge: 20 Corner Radius: 70mm Finish: Linear Brushed Bowl and Mirror Finished Rim Drain Hole Location: Center Sound Dampening: Sound Pads Installation: Topmount / Drop In Shipping Weight: 9.0 lbs



EZ.



1 Strainer Basket 3 Bottom Grid

Reginox nount/Drop1

ACCESSORIES

1135

Included

Outside Sink Rim Dimensions: 20 9/16" FB x 20 1/8" LR Single Bowl Dimensions: 16" FB x 18" LR x 7" DP Minimum Cabinet Size: 24" Gauge: 20 Corner Radius: 70mm Finish: Linear Brushed Bowl and Mirror Finished Rim Drain Hole Location: Center Sound Dampening: Sound Pads Installation: Topmount / Drop In Shipping Weight: 9.4 lbs




ACCESSORIES

2 Strainer Basket 3 Bottom Grid 1140 BG110S Included

RCL2027R-3 (3 faucet holes) 101.0045.284 RCL2027R-1 (1 faucet hole) 101.0045.283



Outside Sink Rim Dimensions: 20 9/16" FB x 27 1/4" LR Large Bowl Dimensions: 16" FB x 14" LR x 7" DP Small Bowl Dimensions: 16" FB x 10" LR x 7" DP Minimum Cabinet Size: 30" Gauge: 20 Corner Radius: 70mm Finish: Linear Brushed Bowl and Mirror Finished Rim Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Topmount / Drop In Shipping Weight: 13.9 lbs



RDL5279-4 (4 faucet holes) 101.0045.299 RDL5279-3 (3 faucet holes) 101.0045.298 RDL5279-1 (1 faucet hole) 101.0045.297

2 Strainer Basket 4 Bottom Grid

RDL2031-3 (3 faucet holes)


RDL2031-1 (1 faucet hole)



BG10S


Equal size Bowl Dimensions: 16" FB x 14" LR x 7" DP Minimum Cabinet Size: 33" Gauge: 20 Corner Radius: 70mm Finish: Linear Brushed Bowl and Mirror Finished Rim Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Topmount / Drop In Shipping Weight: 16.8 lbs

Outside Sink Rim Dimensions: 20 1/2" FB x 31 1/4" LR





Outside Sink Rim Dimensions: 20 1/2" FB x 31 1/4" LR



- 31 1/4" (79 cr

EZ

Equal size Bowl Dimensions: 16" FB x 14" LR x 7" DP Minimum Cabinet Size: 33" Gauge: 20 Corner Radius: 70mm Finish: Linear Brushed Bowl and Mirror Finished Rim Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Topmount / Drop In Shipping Weight: 14.8 lbs

1 Strainer Basket 4 Bottom Grid 5 Drainer Basket BG10S DBR10S

ACCESSORIES



OPTIONAL ACCESSORIES

5 Drainer Basket

DBR10S



3 Bottom Grid

BG110S 112.0040.526 BG10S 112.0044.785



5 Drainer Basket DBR105 112.0044.784



ACCESSORIES 1 Strainer Basket 4 Bottom Grid 5 Drainer Basket 1135 BG10S DBR10S 2 Included

80 KINDRED-SINKWARE.COM



ACCESSORIES

ACCESSORIES

2 Included

101.0045.295

101.0045.294

1140

1135 2 Included



1 Strainer Basket

1135 112.0040.566

2 Strainer Basket

112.0373.732

1140



INCLUDED





REGINOX ADA Sinks

FUNCTIONAL DESIGN

Made to work with easy-to-clean corners, resilient finish, and sound dampening system, these sinks pair perfectly in traditional, contemporary, or transitional kitchen designs.

Offered in an assortment of configurations and installation options, Reginox ADA sinks deliver functional design for everyone without sacrificing quality or style.

ACCESSIBLE DESIGN

Shallow bowl depth and rear drain placement allows for sufficient knee space when sink is used in seated position.

BRILLIANT FINISH

<u>ب.</u>

IN .

Finished to a glowing, hygienic, and easy-to-clean satin finish.

EASY CARE STAINLESS

Sturdy 18 gauge steel from the industry leader in stainless, with a finish that will stand up to hard work, year in and year out.

RSU1829-55 122.0641.407

ACCESSORIES

1135


1 Strainer Basket

RSU1925-55 122.0641.408

1 Included



Outside Sink Rim Dimensions: 18 3/4" FB x 29 3/4" LR Single Bowl Dimensions: 17" FB x 28" LR x 5 1/2" DP Minimum Cabinet Size: 33" Gauge: 18 Corner Radius: 70mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Undermount Shipping Weight: 20 lbs ADA Compliant



RDLA3322-55-4 (4 faucet holes) 101.0643.196 RDLA3322-55-3 (3 faucet holes) 101.0643.195 RDLA3322-55-1 (1 faucet hole) 101.0634.002



ACCESSORIES

1135 2 Included

INCLUDED

ACCESSORIES


1 Strainer Basket

1135 112.0040.566

1 Strainer Basket

Equal Bowl Dimensions: 17" FB x 15" LR x 5 1/2" DP Minimum Cabinet Size: 36" Gauge: 18 Corner Radius: 70mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Topmount / Drop In Shipping Weight: 20.7 lbs ADA Compliant


Outside Sink Rim Dimensions: 22" FB x 33 1/4" LR







Outside Sink Rim Dimensions: 18 3/4" FB x 24 3/4" LR Single Bowl Dimensions: 17" FB x 23" LR x 5 1/2" DP Minimum Cabinet Size: 27" Gauge: 18 Corner Radius: 70mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Undermount Shipping Weight: 15 lbs ADA Compliant



Ġ.

6

ACCESSORIES 1 Strainer Basket 1135

teginox ADA

1 Included RSLA2522-55-4 (4 faucet holes)

101.0643.199 RSLA2522-55-3 (3 faucet holes) 101.0643.198 RSLA2522-55-1 (1 faucet hole) 101.0643.197



Outside Sink Rim Dimensions: 22" FB x 25 5/8" LR Single Bowl Dimensions: 17" FB x 23" LR x 5 1/2" DP Minimum Cabinet Size: 27" Gauge: 18 Corner Radius: 70mm Finish: Satin Finish Drain Hole Location: Rear Sound Dampening: Sound Pads Installation: Topmount / Drop In

Shipping Weight: 16 lbs ADA Compliant



EZZ &

ACCESSORIES

2 Strainer Basket 1135 1 Included

84 KINDRED-SINKWARE.COM



* ADA Compliant: Product is compliant with the American Disabilities Act when properly installed 占



Urban Granite

Made of granite, a blend of quartz and acrylic resin, these sinks are packed full of hidden design features that are made to maintain your granite sink's beauty for years to come. With the reliability guaranteed by the Kindred Crown, our granite sinks impart rich elegance in several sumptuous shades.





GRANITE Undermount Sinks

NATURALLY UNDERSTATED

When a kitchen calls for a softer look than stainless, granite is the natural choice. Our Urban Granite pairs natural warmth and hard-working innovation.

Crafted for durability with Kindred's patented DuraKleen technology, our granite sinks resist stains and stand up to temperatures as high as $536^{\circ}F / 280^{\circ}C$. Sanitized® technology makes sink surfaces resistant to microbial and bacterial growth. This means the finish repels most stains like wine, coffee, and grease.

COLORFAST PROTECTION

UV Protection ensures that these beauties maintain their natural tones for years.

SANITIZED® HYGIENE FUNCTION Helps control bacterial odor and microbial

Helps control bacterial odor and microbial growth.

SCRATCH RESISTANT

Made from high quality quartz and acrylic resin that makes the sink incredibly robust and hard wearing.

MGS2031U-9		MGC2031U-9	
	MGS2031U-9CHA Champagne 125.0637.125 MGS2031U-9MBK Matte Black 125.0637.125 MGS2031U-9MBK Matte Black 125.0637.135 MGS2031U-9CM Notix 125.0641.544 MGS2031U-9SG Stone Grey 125.0641.545 MGS2031U-9SG Stone Grey 125.0641.545 Single Bowl Dimensions: 19 11/16" FB x 30 11/16" LR Single Bowl Dimensions: 16 3/4" FB x 28 7/16" LR X 9 1/16" DP Minimum Cabinet Size: 33" Corruer Radius: 15mm Drain Hole Location: Rear Installation: Undermount Shipping Weight: 33.0 lbs	6	MGC2031U-90 MGC2031U-90 MGC2031U-99 MGC2031U-92 MGC203
ACCESSORIES		ACCESSORIES	Shipping weigi
	ard 8 Colander C417P	1 Strainer Basket 4 Bottom Grid 1135 BG430S 2 Included	d 3 Bottom Grid 7 Cuttin BG440S BB10
MGS2022U-9			
6	MGS2022U-9CHA Champagne 125.0637.124 MGS2022U-9MBK Matte Black 125.0637.128 MGS2022U-9PM Polar White 125.0637.128 MGS2022U-9S Mocha 125.0641.540 MGS2022U-9S Mocha 125.0641.540 MGS2022U-9S Mocha 125.0641.541 Outside Sink Rim Dimensions: 19 11/16" FB x 22 1/16" LR Single Bow Dimensions: 61 3/4" FB x 19 13/16" LR X 9 1/16" DP Z2 1/16" (Born)- Z2		
ACCESSORIES 1 Strainer Basket 6 Bottom Grid 1135 BG400S BB10 Included	bard 8 Colander C417P		
MGC2034U-9		INCLUDED	OPTIONAL
6	MGC2034U-9CHA Champagne 125.0637.127 MGC2034U-9MBK Matte Black 125.0637.131 MGC2034U-9PMV Polar White 125.0641.536 MGC2034U-9SG Stone Grey 125.0641.537 MGC2034U-9SG Stone Grey 125.0641.537 MGC2034U-9SG Stone Grey 125.0641.537 Outside Sink Rim Dimensions: 19 11/16" FB x 33 7/8" LR Large Bow Dimensions: 14 3/8" FB x 16 51/16" LR x 9 1/16" DP Small Bow Dimensions: 13 3/8" FB x 13 5/16" LR x 8 5/8" DP Minimum Cabinet Size: 36" Comer Radius: 15mm	ACCESSORIES	ACCESSORIES 2 Bottom Grid BG4505 112.0632.200 3 Bott BG4 112.0
	Drain Hole Location: Rear Installation: Undermount Shipping Weight: 40.0 lbs		
ACCESSORIES 1 Strainer Basket 2 Bottom Grid 1135 BG450S BG440S 2 Included	rid 7 Cutting Board 8 Colander BB10 C417P		6 Bottom Grid BG400S 7 Cutti BB10 112.0632.197 112.0

J-9CHA Champagne J-9MBK Matte Black J-9PWT Polar White 125.0637.126 125.0637.130 125.0637.133 125.0641.532 I-90N Onyx 125.0641.531 -9ES Mocha -9SG Stone Grey 125.0641.533

nk Rim Dimensions: 19 11/16" FB x 30 11/16" LR I Dimensions: 16 3/4" FB x 14 1/8" LR x 8 5/8" DP Dimensions: 14 3/8" FB x 13 1/8"LR x 7 7/8" DP abinet Size: 33" lius: 15mm Location: Rear Undermount

 \bigcirc 8 5/8" [22cm] deep/prof 7 7/8" [20c

eight: 35.0 lbs tting Board 8 Colander 10 C417P _____14 1/8" [36cm]____ [____13 1/8" [33c -30 11/16" [78cm]-

1 Strainer Basket	2 Bottom Grid	3 Bottom Grid	7 Cutting Board	8 Coland
1135	BG450S	BG440S	BB10	C417P
2 Included				

90 KINDRED-SINKWARE.COM

Ô

 ottom Grid
 4 Bottom Grid
 5 Bottom Grid

 G4405
 BG4305
 BG4105

 12.0632.198
 112.0632.199
 112.0632.196

10-0

6

Colander C417P 112.0538.950





URBAN GRANITE

Topmount / Drop In Sinks

EARTHY ELEGANCE

Natural textures and earth tones of Kindred Granite sinks will elevate your kitchen to match any contemporary or organic modern inspired style.

These sinks are crafted for maximum function. Their naturally sound-absorbing materials minimize noise and vibration, while a non-porous Sanitized® finish keeps germs away.

With reliability guaranteed by our Kindred Crown, these granite sinks impart a rich elegance in several sophisticated shades.

HEAT RESISTANT


Strong enough to withstand hot pans straight from the oven due to heat and thermal shock resistance.

DURAKLEEN

333

িট

1.11



SANITIZED® HYGIENE FUNCTION $\hat{\mathbf{A}}$

Helps control bacterial odor and microbial growth.

व्यक्तिया CHA	MGSM2031-9 (3 pre-scored faucet holes)	MGSM2031-9CHA Champagne 114.0637.969 MGSM2031-9MBK Matte Black 114.0637.977 MGSM2031-9PWT Polar White 114.0637.977 MGSM2031-9PWT Polar White 114.0643.398 MGSM2031-9ES Mocha 114.0643.398 MGSM2031-9SG Stone Grey 114.0643.400 Outside Sink Rim Dimensions: 19.11/16" FB X 30 11/16" LR Single Bowl Dimensions: 16.34" FB X 28 7/16" LR x 9 1/16" DP Minimum Cabinet Size: 3.3" Corner Radius: 15mm Drain Hole Location: Rear Installation: For Installation: Installation: 16.5 lbs	MGCM2031-9 (3 pre-scored faucet holes)	MGCM2031-9CHA Champagne MGCM2031-9MBK Matte Black MGCM2031-9WH Polar White MGCM2031-9WD Polar White MGCM2031-9SG Stone Grey 114.06 MGCM2031-9SG Stone Grey 114.06 Outside Sink Rim Dimensions: 19 11/16" FB Large Bowl Dimensions: 14 3/8" FB x 13' Li Minimum Cabinet Size: 33" Corner Radius: 15mm Drain Hole Location: Rear Installation: Topmount / Drop In Shipping Weight: 49.0 lbs
ES Mocha	ACCESSORIES 1 Strainer Basket 5 Bottom Grid 7 Cutting B 1135 BG410S BB10	Board 8 Colander C417P	1135 BG430S	Bottom Grid 7 Cutting Board 8 Colander BG440S BB10 C417P
Uthan Granite Topmount / Drop In Take Nate Black Stone Grey Onya M	Included MGSM2022-9 (2 pre-scored faucet holes)	MGSM2022-9CHA Champagne 114,0637.968 MGSM2022-9MBK Matte Black 114.0637.976 MGSM2022-9VD Polar White 114.0643.395 MGSM2022-9SE Mocha 114.0643.393 MGSM2022-9SE Mocha 114.0643.393 Outside Sink Rim Dimensions: 19 11/16" FB X 22 1/16" LR Single Bowl Dimensions: 16 3/4" FB X 19 13/16" LR X 9 1/16" DP Minimum Cabinet Size: 24" Comer Radius: TSmm Drain Hole Location: Rear Installation: Topmount / Drop In Shipping Weight: 27.0 lbs	2 Included	
Urb Topmo	1135 BG400S BB10	Board 8 Colander C417P		
	Included MGCM2034-9 (3 pre-scored faucet holes)	MGCM2034-9CHA Champagne 114.0637.971 MGCM2034-9MBK Matte Black 114.0637.979 MGCM2034-9PW Polar White 114.0637.981 MGCM2034-9ES Mocha 114.0643.399 MGCM2034-9SG Stone Grey 114.0643.391 Outside Sink Rim Dimensions: 19 11/16" FB x 33 7/8" LR Large Bowl Dimensions: 16 3/4" FB x 16 15/16" LR x 9 1/16" DP Small Bowl Dimensions: 14 3/8" FB x 13 5/16" LR x 8 5/8" DP Minimum Cabinet Size: 36" Corner Radius: 15mm Drain Hole Location: Rear Installation: Toppo Int Shipping Weight: 50.0 Ibs	ACCESSORIES	OPTIONAL ACCESSORIES
	ACCESSORIES 1 Strainer Basket 2 Bottom Grid 1135 BG4505 BG4505 2 Included BG405	Grid 8 Colander C417P		5 Bottom Grid 7 Cutting Board BB10 8 Colander C417P 112.0632.197 112.0644.464 112.0538.9

94 KINDRED-SINKWARE.COM

KINDRED-SINKWARE.COM 95



MGCM2031-9CHA Champagne 114.0637.970 MGCM2031-9MBK Matte Black 114.0637.978 MGCM2031-9PWT Polar White 114.0637.980 MGCM2031-90N Onyx 114.0643.386 MGCM2031-9ES Mocha 114.0643.385 MGCM2031-9SG Stone Grey 114.0643.387

0 0 \bigcirc \bigcirc 8 5/8" [22cm] deep/prof 7 7/8" [20cm] deep/prof _____14 1/8" [36cm]______13" [33cm]-

Outside Sink Rim Dimensions: 19 11/16" FB x 30 11/16" LR Large Bowl Dimensions: 16 3/4" FB x 14 1/8" LR x 8 5/8" DP Small Bowl Dimensions: 14 3/8" FB x 13" LR x 7 7/8" DP

> 1000 6

5 Bottom Grid

BG410S 112.0632.196

4 Bottom Grid

8 Colander C417P 112.0538.950

BG4305 112.0632.199




Sink Accessories جعه

DELIGHTFUL DETAILS

No sink is complete without beautifully-designed and brilliantly-functional accessories.

Kindred offers an array of carefully crafted items sure to work seamlessly with our sinks and inspire creativity in kitchen. Simplify meal prep and clean-up with accessories bearing the Kindred Crown — from colanders and drainers to cutting boards and grids. Whether you're chopping vegetables or washing dishes, the right accessories make the job a breeze.

Make your Kindred sink the high-functioning hub you require with accessories built to match beautifully — and to last.



101

BG440S	BG450S	BG510S	BG514S
Polished Stainless Steel Bottom Grid 13" FB x 11 3/4" LR x 1" HIGH	Polished Stainless Steel Bottom Grid 15" FB x 15 1/4" LR x 1" HIGH	Polished Stainless Steel Bottom Grid 15" FB x 8 3/4" LR x 1" HIGH	Polished Stainless Steel Bottom Grid 15" FB x 12 1/2" LR x 1" HIGH
BG515S	BG518S	BG523S	BG529S
Polished Stainless Steel Bottom Grid 15" FB x 13 1/2" LR x 1" HIGH	Polished Stainless Steel Bottom Grid 15" FB x 16 1/2" LR x 1" HIGH	Polished Stainless Steel Bottom Grid 15" FB x 21 1/2" LR x 1" HIGH	Polished Stainless Steel Bottom Grid 15" FB x 27 1/2" LR x 1" HIGH
BG531S	BG5310S	BG1715C	BG1715R
· · ·	,		
Polished Stainless Steel Bottom Grid 15" FB x 29 1/2" LR x 1" HIGH	Polished Stainless Steel Bottom Grid 15" FB x 29 1/2" LR x 1" HIGH	Polished Stainless Steel Bottom Grid 15 1/2" FB x 13 1/2" LR x 1" HIGH	Polished Stainless Steel Bottom Grid 15 1/2" FB x 13 1/2" LR x 1" HIGH
BG2317C	BG2317R	BGA1217S	BGA1517S
Polished Stainless Steel Bottom Grid	Polished Stainless Steel Bottom Grid	Polished Stainless Steel Bottom Grid	Polished Stainless Steel Bottom Grid
15 1/2" FB x 21 1/2" LR x 1" HIGH	15 1/2" FB x 21 1/2" LR x 1" HIGH	15" FB x 10 1/8" LR x 1" HIGH	15" FB x 13" LR x 1" HIGH
	BGA2317S	BGA3117S	
BGA1817S	DUA25175	Dansting	

Sink Accesso

102 KINDRED-SINKWARE.COM

Accessories

Franke Home Solutions Warranty for Kindred Branded Product Effective September 1, 2022

In the United States, Canada and Latin America, Franke warrants the Kindred products from manufacturing defects in material and workmanship when purchased from Franke or a Franke/Kindred Authorized Retailer pursuant to product-specific warranties detailed herein (each, a "Warranty" and collectively, the "Warranties"). The products must be properly installed, per company's installations instructions, in its original installation, and used in normal indoor residential kitchen applications. Any products or components which have been modified or altered, from its original instended condition will void the warranty. The Franke Warranties for Kindred branded products are limited to the original purchaser and are non-transferrable. These Warranties do not include products purchased from non-Authorized Retailers, products that are obsolete or discontinued, or products that were previous display models. All issues with installed products are considered warranty claims and not subject to the Return Policy. Franke reserves the right to inspect any Kindred product to be defective and the original installation prior to providing a replacement product and/or component. All decisions are final. In no situation shall the liability of Franke exceed the amount of the original purchase price.

The Warranties do not cover, and Franke shall not be liable for, any damage to products or components resulting from misuse or abuse, accidental damages, normal wear such as scuffs, scratches or finish reduction/fading; improper installation, abnormal usage, negligence, damage caused by improper maintenance or cleaning. Damage caused by impurities, corrosive chemicals or acts beyond Franke's control are not covered by any Warranty.

Kindred product replacements do not include transportation, shipping, diagnosis, labor, installation, removal, disposal for any products or liability for project delays. Product replacements are not guaranteed to be exact replacements. The owner of a product is liable for any transportation and re-installation costs related to any warranty for such product. If the original product is not available at the time of the warranty claim, at Franke's option, the product replacements will be of similar size, material, and value. Any products or components which have been modified or altered, from its original intended condition will void the warranty.

The Warranties do not allow recovery of incidental or consequential damages such as loss of use, delay, property damage or other consequential damage, and Franke accepts no liability for such damages. Each Warranty is limited to the conditions set forth herein and to the applicable warranty period specified herein and is exclusive. EXCEPT FOR THE WARRANTIES SET FORTH HEREIN, FRANKE MAKES NO WARRANTY WHATSOEVER WITH RESPECT TO THE PRODUCTS, INCLUDING, BUT NOT LIMITED TO, (1) ANY WARRANTY OF MERCHANTABILITY, (2) WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, (3) WARRANTY OF TITLE, OR (4) WARRANTY AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS OF A THIRD PARTY, WHETHER EXPRESS OR IMPLIED BY LAW, COURSE OF DEALING, COURSE OF PERFORMANCE, USAGE OF TRADE OR OTHERWISE. LEGAL DISCLAIMER PLEASE READ CAREFULLY. Franke Home Solutions North America, LLC/Franke Kindred Canada Limited provides the above information to you as a public service to our customers. By accessing and using this information, you agree to the following and to comply with all applicable laws. If you do not agree with these terms and conditions, do nager or Customer Service to verify information regarding Franke Home Solutions North America, LLC/Franke Kindred Canada programs and their use by you.

Kindred Residential Stainless and Granite Sink Limited Lifetime Warranty:

Franke warrants that each Kindred sink will be free from manufacturing defects in material and workmanship for the lifetime of the sink when used in standard residential indoor applications. The warranty covers sinks installed in its original installation per Franke/Kindred installation instructions in residential applications using conventional or solid surface countertop.

Kindred Residential Disposal Limited Warranty:

Franke warrants that Kindred disposers are free from manufacturing defects in material and workmanship for the period ranging from two (2) years to ten (10) years as documented in the annual product catalogs and/or instructions included with the products.

Kindred Residential Faucet Limited Warranty:

Franke warrants that mechanical components (body, handle and spout) in all Kindred faucets purchased after January 1, 2022, will be free of manufacturing defects for ten (10) years. Franke shall not be liable for any damage caused by normal wear and tear to wearable parts of the faucet. The expected useful lifetime of wearable parts is; one (1) year: aerator, o-rings; five (5) years: cartridge, hose, ten (10) years: spray head. The wearable parts can be purchased as spare parts from Franke or their Kindred Authorized Retailers. Franke warrants the chrome finishes on Kindred faucets will be free of manufacturing defect for ten (10) years; and all other finishes on Kindred faucets will be free of manufacturing defects for five (5) years from the original date of purchase. Faucets purchased prior to 2022 are subject to the warranty in

place at time of purchase.

Kindred Residential Soap Dispensers Limited Warranty:

Franke warrants that Kindred soap dispensers are free from manufacturing defects in material and workmanship for a period of one (1) year from the date of purchase. Such warranty does not cover damage caused by the use of aggressive soaps or chemicals.

Kindred Residential Accessories Limited Warranty:

Franke warrants that Kindred accessories, including, but not limited to bottom grids, shelves, waste kits, colanders, chopping boards are free from manufacturing defects in material and workmanship for a period of one (1) year from the dates of original purchase.

This warranty supersedes all other warranties, expressed or implied. No employee, field sales representatives, or distribution persons are authorized to give any warranties on behalf of Franke Home Solutions North America, LLC or Franke Kindred Canada Limited.

To make an installed product warranty claim please contact Franke at the provided contact information below. All warranty claims must include the following for processing:

1. Proof of purchase from Franke or Kindred Authorized Retailer

2. Original purchaser's name, address (included city, state, zip), email address and phone number

3. Kindred model number

4. Date of installation

5. Description of the defect

6. Photos of the defect

In the US:	In Canada:
Franke Home Solutions	Franke Home Solutions
Attn: Warranty Department	Attn: Warranty Department
800 Aviation Parkway	1000 Franke Kindred Road
Smyrna, TN 37167	Midland, Ontario L4R 4K9
HS-Warranty.US@Franke.com	HS-Warranty.CA@Franke.com

Legal Entities: USA: Franke Home Solutions North America, LLC Canada: Franke Kindred Canada Limited

Terms & Conditions

GENERAL

• Products may only be sold and advertised within North America. Franke hereby expressly prohibits the dealer from soliciting or consummating sales outside of North America without prior written consent.

• Products shall only be sold in their original packaging. Relabeling, repackaging (including the separation of bundled products or the bundling of separate products), and other alterations are not permitted.

• Sale of Franke products on the Internet shall be prohibited unless resellers apply and are approved by Franke Kitchen Systems, LLC, and execute an Authorized Internet Reseller Agreement regulating the manner in which they sell online.

ORDERING

 Once an order has been acknowledged, changes (including additions or cancellations) will be accepted within 48 hours prior to shipping.

• Order acknowledgments are available via email or EDI. An email address must be provided to receive this benefit.

• Standard lead time for shipment of product in stock, inside of Ontario and Quebec, is one to five (1-5) business days from receipt of order. Orders outside Ontario and Quebec is (5-10) business days from receipt of order. * Lead times could vary due to circumstances outside our control*

STANDARD PAYMENT TERMS

• Net 30 days.

• Franke reserves the right to charge interest and an administration fee on late payments.

PRICING

• Please refer to the electronically published price list (EPL). Orders will be priced with the prevailing price at the time the order is placed.

• Prices are subject to change without notice. Franke will attempt to provide reasonable lead time for pricing changes.

CLAIMS / CHARGE BACKS

• Damages/Shortages must be reported within ten (10) days of receipt of merchandise.

• Charge backs will not be accepted without an authorization number (RMA), provided by a National Sales Manager, Rep or Customer Service.

RETURNS

- No returns will be accepted without a return authorization number (RMA).
- Return authorization requests must be submitted through Rep/National Sales Manager.
- A 25% restocking fee will be charged for ALL returns of saleable product in original condition, not required
- A 40% (or more) restocking fee will be charged for unsaleable product needing re-work. Ie. boxes
- Quality related issues can be returned with no restocking fee. Inspection required prior to shipping.
- No returns will be accepted more than 180 days from original invoice date, unless otherwise approved by NSM.
- No returns will be accepted on discontinued (DWO) or obsolete product.
- · Franke reserves the right to decline / refuse returns with reason.

BACK ORDERS

• Back order shipments will match terms in place by individual accounts.

• Back ordered product will be considered an active order unless customer requests cancellation.

MODEL	STRAINER BASKET	вотто	M GRID	BAMBOO CUTTING BOARD	ROLLER MAT	COLANDER	PG
BSU1832-9	1135 Included	BG	5315	MB517	RM55S	C 417P	14
BSU1832-90W	1135 Included	BG5	310S	MB517	RM55S	C417P	14
BSU1831-9	1135 Included	BG	5295	MB517	RM55S	C417P	14
BSU 1825-9	1135 Included	BG	5235	MB517	RM55S	C417P	15
BSU 1820-9	1135 Included	BG	5185	MB517	RM55S	C417P	15
BSU 1816-9	1135 Included	BGS	5145	MB517	RM55S	C417P	16
BSU1812-8	1135 Included	BG	5105	MB517	RM55S	C417P	16
BCU1836R-9	1135 2 Included	BG523S	BG510S	MB517	RM55S	C417P	16
BCU1835R-9	1135 2 Included	BG518S	BG514S	MB517	RM55S	C417P	17
BCU1831R-9	1135 2 Included	6518S	BG510S	MB517	RM55S	C417P	17
BCU1827R-9	1135 2 Included	BG514S	BG510S	MB517	RM55S	C417P	18
BDU1831-9	1135 2 Included	BGS	514S	MB517	RM55S	C417P	18
BTU1841-9	1135 3 Included	BG514S	BG510S	MB517	RM55S	C417P	18

		l	I	1		I	1
	MODEL	STRAINER BASKET	BOTTOM GRID	BAMBOO CUTTING BOARD	ROLLER MAT	COLANDER	PG
	BSL2233-9-4 BSL2233-9-3 BSL2233-9-1	1135 Included	BG531S	MB517	RM55S	C417P	22
	B5L2233-9-40W B5L2233-9-30W B5L2233-9-10W	1135 Included	BG5310S	MB517	RM555	C417P	22
	BSL2131-9-4 BSL2131-9-3 BSL2131-9-1	1135 Included	BG529S	MB517	RM55S	C417P	22
	BSL2225-9-4 BSL2225-9-3 BSL2225-9-1	1135 Included	BG523S	MB517	RM55S	C417P	23
Drop In	BSL2125-9-4 BSL2125-9-3 BSL2125-9-1	1135 Included	BG523S	MB517	RM55S	C417P	23
Brookmore Topmount / Drop In	BSL2120-9-4 BSL2120-9-3 BSL2120-9-1	1135 Included	BG518S	MB517	RM55S	C417P	24
Brookm	BSL2116-9-3 BSL2116-9-1	1135 Included	BG514S	MB517	RM55S	C417P	24
	BCL2131R-9-4 BCL2131R-9-3 BCL2131R-9-1	1135 2 Included	BG518S BG510S	MB517	RM55S	C417P	24
	BCL2127R-9-4 BCL2127R-9-3 BCL2127R-9-1	1135 2 Included	BG514S BG510S	MB517	RM55S	C417P	25
	BDL2233-9-4 BDL2233-9-3 BDL2233-9-1	1135 2 Included	BG515S	MB517	RM55S	C417P	25
	BDL2131-9-4 BDL2131-9-3 BDL2131-9-1	1135 2 Included	BG514S	MB517	RM55S	C417P	26

MODEL	STRAINER BASKET	BOTTOM GRID	BAMBOO CUTTING BOARD	ROLLER MAT OR DRAINER BASKET	COLANDER	PG	
BSL2225-ADA-1	1135 Included	BG5235	MB517	RM55S	C417P	29	Brookm
BSL2233-ADA-1	1135 Included	BG531S	MB517	RM55S	C417P	29	Brookmore ADA
QSUA 1933-8	1135 Included	BGA31175	112.0654.749	DBR10S		34	
QSUA 1831-8	1135 Included	BG240S	112.0654.749	DBR10S		34	
QSUA 1925-8	1135 Included	BGA23175	112.0654.749	DBR10S		34	
QSUA1922-8	1135 Included	BG14S	112.0654.749	DBR10S		35	
QSUA1917-8	1135 Included	BGA15175	112.0654.749	DBR10S		35	Steel Qu
QSU1813-7	1135 Included	BG35S	112.0654.749			36	Steel Queen Undermount
QSUA 1820-8	1135 Included	BG11S	112.0654.749	DBR10S		36	-
QSUA1616-6	1135 Included		112.0654.749			36	
QSUA 1816-8	1135 Included	BG10S	112.0654.749	DBR10S		37	
QSU1315-6	1135 Included		112.0654.749			37	

_	MODEL	STRAINER BASKET	BOTTOM GRID	BAMBOO CUTTING BOARD	COLANDER	DRAINER BASKET	PG
	QSU1113-6	1135 Included		112.0654.749			38
	QCU 1933R-9	1135 2 Included	BGA12175 BGA18175	112.0654.749		DBR10S	38
	QCUA1933R-8	1135 2 Included	BGA12175 BGA18175	112.0654.749		DBR10S	38
Steel Queen Undermount	QCUA1831R-8 QCUA1831L-8	1135 2 Included	BG11S BG13S	112.0654.749	CA1W Included	DBR10S	39
Steel Queen	QCUA1827R-8 QCUA1827L-8	1135 2 Included	BG105 BG135	112.0654.749	CA1W Included	DBR10S	39
	QCU2031R-9	1135 2 Included	BG305 BG355	112.0654.749			40
	QDUA1933-8	1135 2 Included	BGA15175	112.0654.749		DBR10S	40
	QDUA1831-8	1135 2 Included	BG10S	112.0654.749		DBR10S	40

STRAINER BASKET BOTTOM GRID BAMBOO CUTTING BOARD DRAINER BASKET MODEL PG --0 A. 44 QSLA2233-8-4 1135 Included QSLA2233-8-3 QSLA2233-8-1 BGA3117S DBR10S --0 1 101 1 44 QSLA2031-8-4 QSLA2031-8-3 QSLA2031-8-1 1135 Included BG240S DBR10S 1-1 1135 Included 1000 44 QSLA2225-8-4 QSLA2225-8-3 QSLA2225-8-1 6. B DBR10S BGA2317S 1135 Included -45 steel QSLA2217-8-3 QSLA2217-8-1 BGA1517S DBR10S Ę -0 10¹ -0-/ Drop 45 QSL2020-8-3 QSL2020-8-1 1135 Included BG11S DBR10S -0 -46 1135 Included QSA1820-8 BG11S 112.0654.749 DBR10S -0 BG10S 0 46 1135 Included QSA1816-8 DBR10S 112.0654.749 1135 Included 40⁵ -----46 QSL2020-7-3 QSL2020-7-1 BG11S DBR10S

	MODEL	STRAINER BASKET	BOTT GR	ОМ ID	BAMBOO CUTTING BOARD	COLANDER	DRAINER BASKET	PG
	QCLA2031R-8-3 QCLA2031R-8-1 QCLA2031L-8-3 QCLA2031L-8-1	1135 2 Included	BG11S	BG13S		CA1W Included	DBR105	47
	QDLA2233-8-4 QDLA2233-8-3 QDLA2233-8-1	1135 2 Included	BGA1	5175			DBR10S	47
	QCLA2027R-8-3 QCLA2027R-8-1 QCLA2027L-8-3 QCLA2027L-8-3 QCLA2027L-8-1	1135 2 Included	BG10S	BG13S		CA1W Included	DBR10S	48
mount / Drop In	QDC2031R-8-1	1135 2 Included	BG30S	BG35S				48
Steel Queen Topmount / Drop In	QDL2031-8-4 QDL2031-8-3 QDL2031-8-1	1135 2 Included	BG1	os			DBR10S	48
	QCMA1826-7-3 QCMA1826-7-1	1135 2 Included	BG1	os	112.0654.749		DBR10S	49
	QD1831-8	1135 2 Included	BG1	os	112.0654.749		DBR10S	49
	QDL2031-7-4 QDL2031-7-3 QDL2031-7-1	1135 2 Included	BG1	os			DBR105	50


MODEL	STRAINER BASKET	BOTTOM GRID	DRAINER BASKET	PG		MODEL	STRAINER BASKET	PG	
QSLF2020-12-3 QSLF2020-12-1	1135 Included		DBR10S	54		QSL1515-6-2 QSL1515-6-1	1135 Included	59	S
QSLF2020-10-3 QSLF2020-10-1	1135 Included		DBR10S	54		Q\$1315-6	1135 Included	59	Steel Queen Utility - Hospitality
QSL2225-12-3 QSL2225-12-1	1135 Included			54		QSL1313-6-2 QSL1313-6-1	1135 Included	60	ty - Hospitality
QSLA2225-10-4 QSLA2225-10-3 QSLA2225-10-1	1135 Included	BGA23175		55	Steel Quee	Q\$1113-6	1135 Included	60	
QSL2020-10-3 QSL2020-10-1	1135 Included	BG110S		55	Steel Queen Utility - Laundry				
QSU1820-10	1135 Included	BG110S		56	Ŷ				
Q\$1820-10	1135 Included	BG110S		56					
RSL2020-10-3 RSL2020-10-1	1135 Included	BG110S		56					
QCA1942-10	1135 2 Included	BGA23175 BGA15175		57					
QSR18-8	1135 Included			58	Steel Qu				
QSL1719-8-3 QSL1719-8-2 QSL1719-8-1	1135 Included			58	Steel Queen Utility - Hospitality				
QSA1616-6	1135 Included			58	spitality				

STRAINER BASKET DRAINER ROLLER MAT MODEL BOTTOM GRID BASKET PG 66 CSLA1515-6-2CB (and the second C 66 CSLA2522-8-4CB 4010856 BG2317R CSI A2522-8-3CB Included CSLA2522-8-1CB F-C 66 CSLA2522-7-4 4010856 CSLA2522-7-3 BG2317C Included CSLA2522-7-1 0 C 67 CSLA2522-6-4 4010856 Included CSLA2522-6-3 CSLA2522-6-1 BG2317C APA C M 67 FCDLA3322-8-4CB 4010856 BG1715R FCDLA3322-8-3CB FCDLA3322-8-1CB 2 Included FIRE 3 19 68 CDLA3322-8-4CB CDLA3322-8-3CB 4010856 BG1715R 2 Included CDLA3322-8-1CB AR C 68 CDLA3322-7-4 CDLA3322-7-3 CDLA3322-7-1 4010856 2 Included BG1715C AR C 68 CDLA3322-6-4 4010856 CDLA3322-6-3 CDLA3322-6-1 BG1715C 2 Included C 周問 69 4010856 RDLA3319-6-4CB 2 Included


STRAINER MODEL BASKET BOTTOM GRID DRAINER BASKET PG -0 74 . . . 1135 Included NS1930U-9 RG90S DBR10S -0 for g 74 1135 NS1925U-9 BG80S DBR10S Included -0 100 74 1135 Included NS1820UA-9 BG11S -0 1011112 75 1135 RSU1820-7 BG11S Included -0 19. 19. E. 75 1135 Included NS1813U-7 BG35S -0 C 19 610 76 1135 NDCX2132RU-9 BG30S BG35S 2 Included -0 1 0 h AHHA 76 1135 ND1831UA-9 BG10S DBR10S 2 Included -0 ار م بو پ EP 76 1135 NDC1827RU-9 BG10S BG13S DBR10S 2 Included -0 77 1135 RDU1831-7 BG10S DBR10S 2 Included

STRAINER BASKET MODEL BOTTOM GRID DRAINER BASKET PG -0 [0] 80 RSL2020-3 RSL2020-1 1135 Included BG1105 E. -0 (\circ) 80 RSL5251-3 RSL5251-1 1140 Included BG110S -0 F BG10S 80 RCL2027R-3 RCL2027R-1 1135 2 Included DBR10S -Furthers **_** 81 RDL2031-3 RDL2031-1 1135 2 Included BG10S DBR10S -ر بو به -0 81 RDL5279-4 RDL5279-3 RDL5279-1 1135 2 Included BG10S DBR10S -0 0 84 1135 1 Included RSU1829-55 1135 1 Included 0 84 RSU1925-55 --0 RSLA2522-55-4 RSLA2522-55-3 RSLA3322-55-1 84 1135 1 Included 99 1135 2 Included 85 RDLA3322-55-4 RDLA3322-55-3 RDLA3322-55-1

MODEL	STRAINER BASKET	BOTTOM GRID	BAMBOO CUTTING BOARD	COLANDER	PG	
MGS2031U-9	1135 Induded	BG410S	BB 10	C417P	90	
MGS2022U-9	1135 Included	BG400S	BB10	C417P	90	Urban Gran
MGC 2034U-9	1135 2 Included	BG450S BG440S	BB10	C417P	90	Urban Granite Undermount
MGC 2031U-9	1135 2 Included	BG430S BG440S	BB10	C417P	91	-
MGSM2031-9	1135 Included	BG410S	BB10	C417P	94	
MGSM2022-9	1135 Induded	BG400S	BB10	C417P	94	Urban Granite
MGCM2034-9	1135 2 Included	BG450S BG440S		C417P	94	Urban Granite Topmount / Drop In
MGCM2031-9	1135 2 Included	Image: BG430S Image: BG440S	BB10	C417P	95	pIn



MINIMUM CABINET SIZE



119

MINIMUM CABINET SIZE

120

MINIMUM CABINET SIZE 🔤

00

QDL2031-8-4

QDL2031-8-3 QDL2031-8-1

Page 48

-u-l-u-

RDL2031-3

RDI 2031-1

Page 81

BSL2233-ADA-1N

Page 29

-

MGC2034U-9

Page 90

QDUA1933-8

Page 40

1.1.1

RDL5279-4 RDL5279-3

RDL5279-1

Page 81

BSL2233-9-40W

BSL2233-9-30W

Page 2.2

MGCM2034-9

Page 94

BSI 2233-9-10W

